

Package ‘GeneralizedUmatrix’

January 12, 2021

Type Package

Title Credible Visualization for Two-Dimensional Projections of Data

Version 1.2.2

Date 2021-01-12

Maintainer Michael Thrun <m.thrun@gmx.net>

Description Projections are common dimensionality reduction methods, which represent high-dimensional data in a two-dimensional space. However, when restricting the output space to two dimensions, which results in a two dimensional scatter plot (projection) of the data, low dimensional similarities do not represent high dimensional distances coersively [Thrun, 2018] <DOI: 10.1007/978-3-658-20540-9>. This could lead to a misleading interpretation of the underlying structures [Thrun, 2018]. By means of the 3D topographic map the generalized Umatrix is able to depict errors of these two-dimensional scatter plots. The package is derived from the book of Thrun, M.C.: “Projection Based Clustering through Self-Organization and Swarm Intelligence” (2018) <DOI:10.1007/978-3-658-20540-9> and the main algorithm called simplified self-organizing map for dimensionality reduction methods is published in <DOI: 10.1016/j.mex.2020.101093>.

License GPL-3

Imports Rcpp, ggplot2

Suggests DataVisualizations, rgl, grid, mgcv, png, reshape2, fields, ABCanalysis, plotly, deldir, methods, knitr (>= 1.12), rmarkdown (>= 0.9)

LinkingTo Rcpp, RcppArmadillo

Depends R (>= 3.0)

NeedsCompilation yes

SystemRequirements C++11, pandoc (>=1.12.3, needed for vignettes)

LazyLoad yes

LazyData TRUE

URL <http://www.deepbionics.org>

Encoding UTF-8

VignetteBuilder knitr

BugReports <https://github.com/Mthrun/GeneralizedUmatrix/issues>

Author Michael Thrun [aut, cre, cph] (<<https://orcid.org/0000-0001-9542-5543>>),
 Felix Pape [ctb, ctr],
 Tim Schreier [ctb, ctr],
 Luis Winckelman [ctb, ctr],
 Alfred Ultsch [ths]

Repository CRAN

Date/Publication 2021-01-12 19:30:02 UTC

R topics documented:

| | |
|--------------------------------------|-----------|
| GeneralizedUmatrix-package | 2 |
| addRowWiseC | 5 |
| CalcUstarmatrix | 5 |
| Chainlink | 6 |
| DefaultColorSequence | 7 |
| Delta3DWeightsC | 7 |
| EsomNeuronsAsList | 8 |
| ExtendToroidalUmatrix | 8 |
| GeneralizedUmatrix | 9 |
| GeneratePmatrix | 11 |
| ListAsEsomNeurons | 12 |
| NormalizeUmatrix | 13 |
| plotTopographicMap | 14 |
| sESOM4BMUs | 17 |
| setdiffMatrix | 18 |
| TopviewTopographicMap | 19 |
| trainstepC | 20 |
| UmatrixColormap | 21 |
| upscaleUmatrix | 22 |
| XYcoords2LinesColumns | 23 |
| Index | 24 |

GeneralizedUmatrix-package

Credible Visualization for Two-Dimensional Projections of Data

Description

Projections are common dimensionality reduction methods, which represent high-dimensional data in a two-dimensional space. However, when restricting the output space to two dimensions, which results in a two dimensional scatter plot (projection) of the data, low dimensional similarities do not represent high dimensional distances coercively [Thrun, 2018] <DOI: 10.1007/978-3-658-20540-9>. This could lead to a misleading interpretation of the underlying structures [Thrun, 2018]. By

means of the 3D topographic map the generalized Umatrix is able to depict errors of these two-dimensional scatter plots. The package is derived from the book of Thrun, M.C.: "Projection Based Clustering through Self-Organization and Swarm Intelligence" (2018) <DOI:10.1007/978-3-658-20540-9> and the main algorithm called simplified self-organizing map for dimensionality reduction methods is published in <DOI: 10.1016/j.mex.2020.101093>.

Details

For a brief introduction to **GeneralizedUmatrix** please see the vignette [Introduction of the Generalized Umatrix Package](#).

For further details regarding the generalized Umatrix see [Thrun, 2018], chapter 4-5, or [Thrun/Ultsch, 2020].

If you want to verify your clustering result externally, you can use Heatmap or SilhouettePlot of the CRAN package DataVisualizations.

Index of help topics:

| | |
|----------------------------|--|
| CalcUstarmatrix | Calculate the U*matrix for a given Umatrix and Pmatrix. |
| Chainlink | Chainlink is part of the Fundamental Clustering Problem Suit (FCPS) [Thrun/Ultsch, 2020]. |
| DefaultColorSequence | Default color sequence for plots |
| Delta3DWeightsC | intern function |
| EsomNeuronsASList | Converts wts data (EsomNeurons) into the list form |
| ExtendToroidalUmatrix | Extend Toroidal Umatrix |
| GeneralizedUmatrix | Generalized U-Matrix for Projection Methods published in [Thrun/Ultsch, 2020] |
| GeneralizedUmatrix-package | Credible Visualization for Two-Dimensional Projections of Data |
| GeneratePmatrix | Generates the P-matrix |
| ListAsEsomNeurons | Converts List to WTS |
| NormalizeUmatrix | Normalize Umatrix |
| TopviewTopographicMap | Topview of Topographic Map ind 2D |
| UmatrixColormap | U-Matrix colors |
| XYcoords2LinesColumns | XYcoords2LinesColumns(X,Y) Converts points given as x(i),y(i) coordinates to integer coordinates Columns(i),Lines(i) |
| addRowwiseC | intern function |
| plotTopographicMap | Visualizes the Generalized U-matrix in 3D |
| sESOM4BMUs | simplified ESOM |
| setdiffMatrix | setdiffMatrix shortens Matrix2Curt by those rows that are in both matrices. |
| trainstepC | internal function for s-esom |
| upscaleUmatrix | Upscale a Umatrix grid |

Author(s)

Michal Thrun

Maintainer: Michael Thrun <mthrun@informatik.uni-marburg.de>

References

[Thrun/Ultsch, 2020] Thrun, M. C., & Ultsch, A.: Uncovering High-Dimensional Structures of Projections from Dimensionality Reduction Methods, *MethodsX*, Vol. in press, pp. 101093. doi 10.1016/j.mex.2020.101093, 2020.

[Thrun, 2018] Thrun, M. C.: Projection Based Clustering through Self-Organization and Swarm Intelligence, doctoral dissertation 2017, Springer, Heidelberg, ISBN: 978-3-658-20539-3, doi: [10.1007/9783658205409](https://doi.org/10.1007/9783658205409), 2018.

[Ultsch/Thrun, 2017] Ultsch, A., & Thrun, M. C.: Credible Visualizations for Planar Projections, in Cottrell, M. (Ed.), 12th International Workshop on Self-Organizing Maps and Learning Vector Quantization, Clustering and Data Visualization (WSOM), IEEE Xplore, France, 2017.

Examples

```
data("Chainlink")
Data=Chainlink$Data
Cls=Chainlink$Cls
InputDistances=as.matrix(dist(Data))
res=cmdscale(d=InputDistances, k = 2, eig = TRUE, add = FALSE, x.ret = FALSE)
ProjectedPoints=as.matrix(res$points)
#see also ProjectionBasedClustering package for other common projection methods
#see DatabionicsWorm for projection method without parameters or objective function
# ProjectedPoints=DatabionicsWorm::Pswarm(Data)$ProjectedPoints

resUmatrix=GeneralizedUmatrix(Data,ProjectedPoints)
plotTopographicMap(resUmatrix$Umatrix,resUmatrix$Bestmatches,Cls)

##Interactive Island Generation
## from a tiled Umatrix (toroidal assumption)
## Not run:
Imx = ProjectionBasedClustering::interactiveGeneralizedUmatrixIsland(resUmatrix$Umatrix,
resUmatrix$Bestmatches)
plotTopographicMap(resUmatrix$Umatrix,
resUmatrix$Bestmatches, Imx = Imx)

## End(Not run)
#External Verification
## Not run:

DataVisualizations::Heatmap(Data,Cls)
#if spherical cluster structure
DataVisualizations::SilhouettePlot(Data,Cls)

## End(Not run)
```

| | |
|-------------|------------------------|
| addRowWiseC | <i>intern function</i> |
|-------------|------------------------|

Description

Adds the Vector DataPoint to every row of the matrix WeightVectors

Usage

```
addRowWiseC(WeightVectors,DataPoint)
```

Arguments

| | |
|---------------|---|
| WeightVectors | WeightVectors. n weights with m components each |
| DataPoint | Vector with m components |

Value

WeightVectors[1:m,1:n]

| | |
|-----------------|--|
| CalcUstarmatrix | <i>Calculate the U*matrix for a given Umatrix and Pmatrix.</i> |
|-----------------|--|

Description

Calculate the U*matrix for a given Umatrix and Pmatrix.

Arguments

| | |
|---------------------------|---|
| Umatrix[1:Lines,1:Column] | Local averages of distances at each point of the trainedGridWts[1:Lines,1:Column,1:variables] of ESOM or other SOM of same format |
| Pmatrix[1:Lines,1:Column] | Local densities at each point of the trainedGridWts[1:Lines,1:Column,1:variables] of ESOM or other SOM of same format |

Value

UStarMatrix[1:Lines,1:Column]

Author(s)

Michael Thrun

References

Ultsch, A. U* C: Self-organized Clustering with Emergent Feature Maps. in Lernen, Wissensentdeckung und Adaptivitaet (LWA). 2005. Saarbruecken, Germany.

Chainlink

Chainlink is part of the Fundamental Clustering Problem Suit (FCPS)
[Thrun/Ultsch, 2020].

Description

linear not separable dataset of two intertwined chains.

Usage

```
data("Chainlink")
```

Details

Size 1000, Dimensions 3, stored in Chainlink\$Data

Teo clusters, stored in Chainlink\$Cls

Published in [Ultsch et al.,1994] in German and [Ultsch 1995] in English.

References

[Thrun/Ultsch, 2020] Thrun, M. C., & Ultsch, A.: Clustering Benchmark Datasets Exploiting the Fundamental Clustering Problems, Data in Brief, Vol. 30(C), pp. 105501, DOI 10.1016/j.dib.2020.105501, 2020.

[Ultsch 1995] Ultsch, A.: Self organizing neural networks perform different from statistical k-means clustering, Proc. Society for Information and Classification (GFKL), Vol. 1995, Basel 8th-10th March, 1995.

[Ultsch et al.,1994] Ultsch, A., Guimaraes, G., Korus, D., & Li, H.: Knowledge extraction from artificial neural networks and applications, Parallele Datenverarbeitung mit dem Transputer, pp. 148-16Chainlink, Springer, 1994.

Examples

```
data(Chainlink)
str(Chainlink)

## Not run:
require(DataVisualizations)
DataVisualizations::Plot3D(Chainlink$Data,Chainlink$Cls)

## End(Not run)
```

DefaultColorSequence *Default color sequence for plots*

Description

Defines the default color sequence for plots made within the Projections package.

Usage

```
data("DefaultColorSequence")
```

Format

A vector with 562 different strings describing colors for plots.

Delta3DWeightsC *intern function*

Description

Thr implementation of the main formula of SOM, ESOM, sESOM algorithms.

Usage

```
Delta3DWeightsC(vx,Datasample)
```

Arguments

vx array of weights [1:Lines,1:Columns,1:Weights]
Datasample NumericVector of one Datapoint[1:n]

Details

intern function in case of ComputeInR==FALSE in [GeneralizedUmatrix](#)

Value

modified array of weights [1:Lines,1:Columns,1:Weights]

Author(s)

Michael Thrun

References

[Thrun, 2018] Thrun, M. C.: Projection Based Clustering through Self-Organization and Swarm Intelligence, doctoral dissertation 2017, Springer, Heidelberg, ISBN: 978-3-658-20539-3, doi: [10.1007/9783658205409](https://doi.org/10.1007/9783658205409), 2018.

EsomNeuronsAsList *Converts wts data (EsomNeurons) into the list form*

Description

Converts wts data into the list form

Arguments

EsomNeurons[1:Lines, 1:Columns, 1:Variables]
high dimensional array with grid positions in the first two dimensions

Details

One could describe this function as a transformation or a special case of wide to long format, see also [ListAsEsomNeurons](#)

Value

TrainedNeurons[1:(Lines*Columns), 1:Variables]
List of Weights as a matrix (not `list` like in R) as matrix or two dimensional array

Author(s)

Michael Thrun, Florian Lerch

References

Ultsch, A. Maps for the visualization of high-dimensional data spaces. in Proc. Workshop on Self organizing Maps. 2003.

ExtendToroidalUmatrix *Extend Toroidal Umatrix*

Description

Extends Umatrix by toroidal continuation of the given Umatrix defined by ExtendBorders in all four directions.

Usage

ExtendToroidalUmatrix(Umatrix, Bestmatches, ExtendBorders)

Arguments

| | |
|---------------|---|
| Umatrix | [1:Lines,1:Columns] Matrix of Umatrix Heights |
| Bestmatches | [1:n, 1:2] Matrix with positions of Bestmatches for n datapoints, first columns is the position in Lines and second column in Columns |
| ExtendBorders | number of lines and columns the umatrix should be extended with |

Details

Function assumes that U-matrix is not planar (has no borders), i.e. is toroidal, and not tiled. Bestmatches are moved to new positions accordingly. Example is shown in conference talk of [Thrun et al., 2020].

Value

| | |
|-------------|---|
| Umatrix | [1:Lines+2*ExtendBorders,1:Columns+2*ExtendBorders] Matrix of U-Heights |
| Bestmatches | Array with positions of Bestmatches |

Note

Currently can be only used if untiled U-Matrix (the default) is presented, but 4-tiled U-matrix does not work.

Author(s)

Michael Thrun

References

[Thrun et al., 2020] Thrun, M. C., Pape, F., & Ultsch, A.: Interactive Machine Learning Tool for Clustering in Visual Analytics, 7th IEEE International Conference on Data Science and Advanced Analytics (DSAA 2020), Vol. accepted, pp. 1-9, IEEE, Sydney, Australia, 2020.

Examples

#ToDo

GeneralizedUmatrix *Generalized U-Matrix for Projection Methods published in [Thrun/Ultsch, 2020]*

Description

Generalized U-Matrix visualizes high-dimensional distance and density based structures in two-dimensional scatter plots of projection methods like CCA, MDS, PCA or NeRV [Ultsch/Thrun, 2017] with the help of a topographic map with hypsometric tints [Thrun et al. 2016] using a simplified emergent SOM published in [Thrun/Ultsch, 2020].

Usage

```
GeneralizedUmatrix(Data, ProjectedPoints,
PlotIt=FALSE, Cls=NULL, Toroid=TRUE, Tiled=FALSE, ComputeInR=FALSE)
```

Arguments

| | |
|-----------------|---|
| Data | [1:n,1:d] array of data: n cases in rows, d variables in columns |
| ProjectedPoints | [1:n,2] matrix containing coordinates of the Projection: A matrix of the fitted configuration. |
| PlotIt | Optional, bool, default=FALSE, if =TRUE: U-Matrix of every current Position of Databots will be shown However, the amount of details shown will be less than in plotTopographicMap . |
| Cls | Optional, For plotting, see <code>plotUmatrix</code> in package <code>Umatrix</code> |
| Toroid | Optional, Default=TRUE, ==FALSE planar computation with borders defined by projection method ==TRUE: toroid borderless (toroidal) computation, the four borders defined by projection method are ignored. |
| Tiled | Optional, For plotting see <code>plotUmatrix</code> in package <code>Umatrix</code> |
| ComputeInR | Optional, =T: Rcode, =F Cpp Code |

Details

Introduced first in the PhD thesis in [Thrun, 2018, p.46]. Furthermore the two parts of the work were peer-reviewed and published in [Ultsch/Thrun, 2017, Thrun/Ultsch, 2020].

Value

| | |
|-------------|---|
| List with | |
| Umatrix | [1:Lines,1:Columns] [1:Lines,1:Columns] Umatrix to be plotted, numerical matrix storing the U-heights, see [Thrun, 2018] for definition. |
| EsomNeurons | [1:Lines,1:Columns,1:weights] 3-dimensional numeric array (wide format), not wts (long format) |
| Bestmatches | [1:n,1:2] Positions of GridConverted Projected Points on the Umatrix to the pre-defined Grid by Lines and Columns, First Columns has the content of the Line No and second Column of the Column number. |
| gplotres | output of <code>ggplot2</code> |

Author(s)

Michael Thrun

References

- [Thrun et al., 2016] Thrun, M. C., Lerch, F., Loetsch, J., & Ultsch, A.: Visualization and 3D Printing of Multivariate Data of Biomarkers, in Skala, V. (Ed.), International Conference in Central Europe on Computer Graphics, Visualization and Computer Vision (WSCG), Vol. 24, Plzen, <http://wscg.zcu.cz/wscg2016/short/A43-full.pdf>, 2016.
- [Thrun, 2018] Thrun, M. C.: Projection Based Clustering through Self-Organization and Swarm Intelligence, doctoral dissertation 2017, Springer, Heidelberg, ISBN: 978-3-658-20539-3, doi: [10.1007/9783658205409](https://doi.org/10.1007/9783658205409), 2018.
- [Ultsch/Thrun, 2017] Ultsch, A., & Thrun, M. C.: Credible Visualizations for Planar Projections, in Cottrell, M. (Ed.), 12th International Workshop on Self-Organizing Maps and Learning Vector Quantization, Clustering and Data Visualization (WSOM), IEEE Xplore, France, 2017.
- [Thrun/Ultsch, 2020] Thrun, M. C., & Ultsch, A.: Uncovering High-Dimensional Structures of Projections from Dimensionality Reduction Methods, MethodsX, Vol. in press, pp. 101093. doi [10.1016/j.mex.2020.101093](https://doi.org/10.1016/j.mex.2020.101093), 2020.

Examples

```
data("Chainlink")
Data=Chainlink$Data
Cls=Chainlink$Cls
InputDistances=as.matrix(dist(Data))
res=cmdscale(d=InputDistances, k = 2, eig = TRUE, add = FALSE, x.ret = FALSE)
ProjectedPoints=as.matrix(res$points)
## Not run:
Stress = ProjectionBasedClustering::KruskalStress(InputDistances,
as.matrix(dist(ProjectedPoints)))

## End(Not run)

resUmatrix=GeneralizedUmatrix(Data,ProjectedPoints)
plotTopographicMap(resUmatrix$Umatrix,resUmatrix$Bestmatches,Cls)
```

GeneratePmatrix

Generates the P-matrix

Description

Generates a P-matrix too visualize only density based structures of high-dimensional data.

Arguments

| | |
|-------------|---|
| Data | [1:n,1:d], A [n, d] matrix containing the data |
| EsomNeurons | [1:Lines,Columns,1:Weights] 3D array of weights given by ESOM or sESOM algorithm. |

Value

EsomNeurons[1:Lines, 1:Columns, 1:Variables]

3 dimensional array containing the weights of the neural grid. For a more general explanation see reference

Author(s)

Michael Thrun, Florian Lerch

References

Utsch, A.: Maps for the visualization of high-dimensional data spaces, Proc. Workshop on Self organizing Maps (WSOM), pp. 225-230, Kyushu, Japan, 2003.

| | |
|------------------|--------------------------|
| NormalizeUmatrix | <i>Normalize Umatrix</i> |
|------------------|--------------------------|

Description

Normalizing the U-matrix using the abstract U-Matrix concept [Loetsch/Utsch, 2014].

Usage

NormalizeUmatrix(Data, Umatrix, BestMatches)

Arguments

| | |
|-------------|---|
| Data | [1:n,1:d] numerical matrix of data with n cases and d variables |
| Umatrix | [1:lines,1:Columns] matrix of U-heights |
| BestMatches | [1:n,1:2] Bestmatching units. |

Details

see publication [Loetsch/Utsch, 2014]..

Value

Normalized Umatrix[1:lines,1:Columns] using the abstract U-Matrix concept.

Author(s)

Felix Pape, Michael Thrun

References

Loetsch, J., Utsch, A.: Exploiting the structures of the U-matrix, in Villmann, T., Schleif, F.-M., Kaden, M. & Lange, M. (eds.), Proc. Advances in Self-Organizing Maps and Learning Vector Quantization, pp. 249-257, Springer International Publishing, Mittweida, Germany, 2014.

Examples

```

data("Chainlink")
Data=Chainlink$Data
Cls=Chainlink$Cls
InputDistances=as.matrix(dist(Data))
res=cmdscale(d=InputDistances, k = 2, eig = TRUE, add = FALSE, x.ret = FALSE)
ProjectedPoints=as.matrix(res$points)
#see also ProjectionBasedClustering package for other common projection methods

resUmatrix=GeneralizedUmatrix(Data,ProjectedPoints)
## Normalization
normalizedUmatrix=NormalizeUmatrix(Data,resUmatrix$Umatrix,resUmatrix$Bestmatches)
## visualization
TopviewTopographicMap(GeneralizedUmatrix = normalizedUmatrix,resUmatrix$Bestmatches)

```

plotTopographicMap *Visualizes the Generalized U-matrix in 3D*

Description

The generalized U-matrix is visualized as the topographic map with hypsometric tints. The topographic map represents high-dimensional distance and density-based structures in form of a 3D landscape.

Usage

```

plotTopographicMap(GeneralizedUmatrix, BestMatchingUnits,

Cls=NULL,ClsColors=NULL,Imx=NULL,Names=NULL,

BmSize=0.5,RenderingContourLines=TRUE,...)

```

Arguments

| | |
|--------------------|---|
| GeneralizedUmatrix | (1:Lines,1:Columns), [1:Lines,1:Columns] Umatrix to be plotted, numerical matrix storing the U-heights, see [Thrun, 2018] for definition. |
| BestMatchingUnits | (1:n,1:2), Positions of bestmatches to be plotted as spheres onto the topographic map |
| Cls | (1:n), numerical vector of classification of k clusters, one label for each best-match at that given point |
| ClsColors | Vector of colors that will be used to colorize the different clusters, default is GeneralizedUmatrix::DefaultColorSequence |

| | |
|-----------------------|--|
| Imx | a mask (Imx) that will be used to cut out the umatrix |
| Names | If set: [1:k] character vector naming the k clusters for the legend. . In this case, further parameters with the possibility to adjust are: NamesCex: (size); NamesPosition: Legend position; NamesTitle: title of legend; NamesColors: colors if ClsColors are not default (NULL), etc. |
| BmSize | size(diameter) of the points in the visualizations. The points represent the Best-MatchingUnits |
| RenderingContourLines | FALSE: disables plotting of contour lines resulting in a much faster plot. |
| ... | Besides the legend/names parameter the list of further parameters, use only of you know what you are doing: Tiled Should the Umatrix be drawn 4times? ShowAxis shall the axis be shown? NoLevels number of contour lines ExtendBorders scalar, extends Umatrix by toroidal continuation of the given Umatrix Colormap in the case of density p matrix... title same as main main same as title sub same as in plot xlab same as in plot ylab same as in plot zlab same as in plot NamesPosition same as in bgplot3d NamesColors same as col in bgplot3d NamesCex same as cex in bgplot3d NamesTitle same as title in bgplot3d NamesPch same as pch in bgplot3d |

Details

The visualization of this function is a topographic map with hypsometric tints (Thrun, Lerch, L?tsch, & Ultsch, 2016). "Hypsometric tints are surface colors that represent ranges of elevation (Patterson and Kelso 2004). Here, contour lines are combined with a specific color scale. The color scale is chosen to display various valleys, ridges, and basins: blue colors indicate small distances (sea level), green and brown colors indicate middle distances (low hills), and white colors indicate vast distances (high mountains covered with snow and ice). Valleys and basins represent clusters, and the watersheds of hills and mountains represent the borders between clusters. In this 3D landscape, the borders of the visualization are cyclically connected with a periodicity (L,C). The number of clusters can be estimated by the number of valleys of the visualization. The clustering is valid if mountains do not partition clusters indicated by colored points of the same color and colored regions of points (see examples in section 4.1 and 4.2)."[Thrun/Ultsch, 2020].

A central problem in clustering is the correct estimation of the number of clusters. This is addressed by the topographic map which allows assessing the number of clusters as the number of valleys (Thrun et al., 2016). Please see chapter 5 of [Thrun, 2018] for further details.

Value

An object of class "htmlwidget" in mode invisible, please [rglwidget](#) for details.

Note

First version of algorithm was partly based on the Umatrix package.

Author(s)

Michael Thrun

References

[Thrun, 2018] Thrun, M. C.: Projection Based Clustering through Self-Organization and Swarm Intelligence, doctoral dissertation 2017, Springer, Heidelberg, ISBN: 978-3-658-20539-3, doi: [10.1007/9783658205409](#), 2018.

[Thrun et al., 2016] Thrun, M. C., Lerch, F., Loetsch, J., & Ultsch, A.: Visualization and 3D Printing of Multivariate Data of Biomarkers, in Skala, V. (Ed.), International Conference in Central Europe on Computer Graphics, Visualization and Computer Vision (WSCG), Vol. 24, Plzen, <http://wscg.zcu.cz/wscg2016/short/A43-full.pdf>, 2016.

[Thrun/Ultsch, 2020] Thrun, M. C., & Ultsch, A. : Using Projection based Clustering to Find Distance and Density based Clusters in High-Dimensional Data, Journal of Classification, DOI [10.1007/s00357-020-09373-2](#), in press, Springer, 2020.

See Also

[GeneralizedUmatrix](#)

Examples

```
data("Chainlink")
Data=Chainlink$Data
Cls=Chainlink$Cls
InputDistances=as.matrix(dist(Data))
res=cmdscale(d=InputDistances, k = 2, eig = TRUE, add = FALSE, x.ret = FALSE)
ProjectedPoints=as.matrix(res$points)
#see also ProjectionBasedClustering package for other common projection methods

resUmatrix=GeneralizedUmatrix(Data,ProjectedPoints)
## visualization
plotTopographicMap(GeneralizedUmatrix = resUmatrix$Umatrix,resUmatrix$Bestmatches)

## Open window in specific resolution
#relevant if Names given

library(rgl)
r3dDefaults$windowRect = c(0,0,1200,1200)
plotTopographicMap(GeneralizedUmatrix = resUmatrix$Umatrix,resUmatrix$Bestmatches)
```

```

## Not run:
## To save as STL for 3D printing
  rgl::writeSTL("GeneralizedUmatrix_3d_model.stl")

## Save the visualization as a picture with
library(rgl)
rgl.snapshot('test.png')

## End(Not run)

## Save interactive html file
## Not run:
widgets=plotTopographicMap(GeneralizedUmatrix = resUmatrix$Umatrix,resUmatrix$Bestmatches)
if(requireNamespace("htmlwidgets"))
  htmlwidgets::saveWidget(widgets,file = "interactiveTopographicMap.html")

## End(Not run)

```

sESOM4BMUs

simplified ESOM

Description

internfunction for the simplified ESOM Algorithmus [Thrun/Ultsch, 2020] for fixed BestMatchingUnits

Usage

```
sESOM4BMUs(BMUs,Data, esom, toroid, CurrentRadius,ComputeInR)
```

Arguments

| | |
|---------------|---|
| BMUs | [1:Lines,1:Columns], BestMAatchingUnits generated by ProjectedPoints2Grid() |
| Data | [1:n,1:d] array of data: n cases in rows, d variables in columns |
| esom | [1:Lines,1:Columns,1:weights] array of NeuronWeights, see ListAsEsomNeurons() |
| toroid | TRUE/FALSE - topology of points |
| CurrentRadius | number between 1 to x |
| ComputeInR | =T: Rcode, =F Cpp Codenumber between 1 to x |

Details

Algorithm is described in [Thrun, 2018, p. 48, Listing 5.1].

Value

esom array [1:Lines,1:Columns,1:d], d is the dimension of the weights, the same as in the ESOM algorithm. modified esomneuro regarding a predefined neighborhood defined by a radius

Note

Usually not for seperated usage!

Author(s)

Michael Thrun

References

[Thrun/Ultsch, 2020] Thrun, M. C., & Ultsch, A.: Uncovering High-Dimensional Structures of Projections from Dimensionality Reduction Methods, MethodsX, Vol. in press, pp. 101093. doi 10.1016/j.mex.2020.101093, 2020.

See Also

[GeneralizedUmatrix](#)

| | |
|---------------|--|
| setdiffMatrix | <i>setdiffMatrix shortens Matrix2Curt by those rows that are in both matrices.</i> |
|---------------|--|

Description

setdiffMatrix shortens Matrix2Curt by those rows that are in both matrices.

Arguments

Matrix2Curt[n,k]

matrix, which will be shortened by x rows

Matrix2compare[m,k]

matrix whose rows will be compared to those of Matrix2Curt x rows in Matrix2compare equal rows of Matrix2Curt (order of rows is irrelevant). Has the same number of columns as Matrix2Curt.

Value

V\$CurtedMatrix[n-x,k] Shortened Matrix2Curt

Author(s)

Michael Thrun with the help of Catharina Lippmann

TopviewTopographicMap *Topview of Topographic Map ind 2D*

Description

Fast Visualization of the Generalized U-matrix in 2D which visualizes high-dimensional distance and density based structures of the combination two-dimensional scatter plots (projections) with high-dimensional data.

Usage

```
TopviewTopographicMap(GeneralizedUmatrix, BestMatchingUnits,
  Cls, ClsColors = NULL, Imx = NULL, Names = NULL, BmSize = 6, ...)
```

Arguments

| | |
|--------------------|--|
| GeneralizedUmatrix | (1:Lines,1:Columns), [1:Lines,1:Columns] Umatrix to be plotted, numerical matrix storing the U-heights, see [Thrun, 2018] for definition. |
| BestMatchingUnits | (1:n,1:2), Positions of bestmatches to be plotted onto the Umatrix |
| Cls | (1:n), numerical vector of classification of k classes for the bestmatch at the given point |
| ClsColors | Vector of colors that will be used to colorize the different classes |
| Imx | a mask (Imx) that will be used to cut out the umatrix |
| Names | If set: [1:k] character vector naming the k classes for the legend. . In this case, further parameters with the possibility to adjust are: NamesCex: (size); NamesPosition: Legend position; NamesTitle: title of legend; NamesColors: colors if ClsColors are not default (NULL). |
| BmSize | size(diameter) of the points in the visualizations. The points represent the Best-MatchingUnits |
| ... | Tiled Should the Umatrix be drawn 4times? main set specific title in plot ExtendBorders scalar, extends Umatrix by toroidal continuation of the given Umatrix _ Further Arguments relevant for interactive shiny application |

Details

Please see [plotTopographicMap](#). This function is currently still experimental because not all functionality is fully tested yet.

Value

plotly handler

Note

Names are currently under development, Imx in testing phase.

Author(s)

Tim Schreier, Luis Winckelmann, Michael Thrun

References

[Thrun, 2018] Thrun, M. C.: Projection Based Clustering through Self-Organization and Swarm Intelligence, doctoral dissertation 2017, Springer, Heidelberg, ISBN: 978-3-658-20539-3, doi: [10.1007/9783658205409](https://doi.org/10.1007/9783658205409), 2018.

[Thrun et al., 2016] Thrun, M. C., Lerch, F., Loetsch, J., & Ultsch, A.: Visualization and 3D Printing of Multivariate Data of Biomarkers, in Skala, V. (Ed.), International Conference in Central Europe on Computer Graphics, Visualization and Computer Vision (WSCG), Vol. 24, Plzen, <http://wscg.zcu.cz/wscg2016/short/A43-full.pdf>, 2016.

See Also

[plotTopographicMap](#)

Examples

```
data("Chainlink")
Data=Chainlink$Data
Cls=Chainlink$Cls
InputDistances=as.matrix(dist(Data))
res=cmdscale(d=InputDistances, k = 2, eig = TRUE, add = FALSE, x.ret = FALSE)
ProjectedPoints=as.matrix(res$points)
#see also ProjectionBasedClustering package for other common projection methods

resUmatrix=GeneralizedUmatrix(Data,ProjectedPoints)
## visualization
TopviewTopographicMap(GeneralizedUmatrix = resUmatrix$Umatrix,resUmatrix$Bestmatches)
```

trainstepC

internal function for s-esom

Description

Does the training for fixed bestmatches in one epoch of the sESOM.

Usage

```
trainstepC(vx,vy, DataSampled,BMUsampled,Lines,Columns, Radius, toroid)
```

Arguments

| | |
|--------------------------|---|
| <code>vx</code> | array (1:Lines,1:Columns,1:Weights), WeightVectors that will be trained, internally transformed von NumericVector to cube |
| <code>vy</code> | array (1:Lines,1:Columns,1:2), meshgrid for output distance computation |
| <code>DataSampled</code> | NumericMatrix, n cases shuffled Dataset[1:n,1:d] by sample |
| <code>BMUsampled</code> | NumericMatrix, n cases shuffled BestMatches[1:n,1:2] by sample in the same way as DataSampled |
| <code>Lines</code> | double, Height of the grid |
| <code>Columns</code> | double, Width of the grid |
| <code>Radius</code> | double, The current Radius that should be used to define neighbours to the bm |
| <code>toroid</code> | bool, Should the grid be considered with cyclically connected borders? |

Details

Algorithm is described in [Thrun, 2018, p. 48, Listing 5.1].

Value

WeightVectors, array[1:Lines,1:Columns,1:weights] with the adjusted Weights

Note

Usually not for seperated usage!

Author(s)

Michael Thrun

References

[Thrun, 2018] Thrun, M. C.: Projection Based Clustering through Self-Organization and Swarm Intelligence, doctoral dissertation 2017, Springer, Heidelberg, ISBN: 978-3-658-20539-3, doi: [10.1007/9783658205409](https://doi.org/10.1007/9783658205409), 2018.

UmatrixColormap

U-Matrix colors

Description

Defines the default color sequence for plots made for Umatrix

Usage

```
data("UmatrixColormap")
```

Format

Returns the vectors for a (heat) colormap.

| | |
|----------------|-------------------------------|
| upscaleUmatrix | <i>Upscale a Umatrix grid</i> |
|----------------|-------------------------------|

Description

Use linear interpolation to increase the size of a umatrix. This can be used to produce nicer ggplot plots in [plotTopographicMap](#) and is going to be used for further normalization of the umatrix.

Usage

```
upscaleUmatrix(Umatrix, Factor = 2, BestMatches, Imx)
```

Arguments

| | |
|-------------|---|
| Umatrix | The umatrix which should be upscaled |
| BestMatches | The BestMatches which should be upscaled |
| Factor | Optional: The factor by which the axes will be scaled. Be aware that the size of the matrix will grow by Factor squared. Default: 2 |
| Imx | Optional: Island cutout of the umatrix. Should also be scaled to the new size of the umatrix. |

Value

A List consisting of:

| | |
|-------------|---|
| Umatrix | A matrix representing the upscaled umatrix. |
| BestMatches | If BestMatches was given as parameter: The rescaled BestMatches for an island cutout. Otherwise: NULL |
| Imx | If Imx was given as parameter: The rescaled matrix for an island cutout. Otherwise: NULL |

Author(s)

Felix Pape

XYcoords2LinesColumns *XYcoords2LinesColumns(X,Y) Converts points given as x(i),y(i) coordinates to integer coordinates Columns(i),Lines(i)*

Description

XYcoords2LinesColumns(X,Y) Converts points given as x(i),y(i) coordinates to integer coordinates Columns(i),Lines(i)

Arguments

X(1:n), Y(1:n) coordinates: x(i),y(i) is the i-th point on a plane
 minNeurons minimal size of the corresponding grid i.e $\max(\text{Lines}) * \max(\text{Columns}) \geq \text{MinGridSize}$, default MinGridSize = 4096 defined by the number of neurons
 MaxDifferentPoints TRUE: the discretization error is minimal FALSE: number of Lines and Columns is minimal
 PlotIt Plots the result

Details

Details are written down in [Thrun, 2018, p. 47].

Value

GridConvertedPoints[1:Columns,1:Lines,2] IntegerPositions on a grid corresponding to x,y

Author(s)

Michael Thrun

References

[Thrun, 2018] Thrun, M. C.: Projection Based Clustering through Self-Organization and Swarm Intelligence, doctoral dissertation 2017, Springer, Heidelberg, ISBN: 978-3-658-20539-3, doi: [10.1007/9783658205409](https://doi.org/10.1007/9783658205409), 2018.

Examples

```
data("Chainlink")
Data=Chainlink$Data
InputDistances=as.matrix(dist(Data))
res=cmdscales(d=InputDistances, k = 2, eig = TRUE, add = FALSE, x.ret = FALSE)
ProjectedPoints=as.matrix(res$points)
GridConvertedPoints=XYcoords2LinesColumns(ProjectedPoints[,1],ProjectedPoints[,2],PlotIt=FALSE)
```

Index

- * **AU-Matrix**
 - NormalizeUmatrix, 13
- * **Chainlink**
 - Chainlink, 6
- * **DR**
 - GeneralizedUmatrix-package, 2
- * **DimensionalityReduction**
 - GeneralizedUmatrix-package, 2
- * **ESOM**
 - sESOM4BMUs, 17
- * **Extend Toroidal U-matrix**
 - ExtendToroidalUmatrix, 8
- * **Extend Toroidal Umatrix**
 - ExtendToroidalUmatrix, 8
- * **ExtendToroidalUmatrix**
 - ExtendToroidalUmatrix, 8
- * **FCPS**
 - Chainlink, 6
- * **Generalized U-matrix**
 - GeneralizedUmatrix, 9
 - plotTopographicMap, 14
 - TopviewTopographicMap, 19
 - upscaleUmatrix, 22
- * **GeneralizedUmatrix**
 - GeneralizedUmatrix, 9
 - GeneralizedUmatrix-package, 2
 - plotTopographicMap, 14
 - TopviewTopographicMap, 19
- * **GeneratePswarmVisualization**
 - sESOM4BMUs, 17
- * **P-Matrix**
 - GeneratePmatrix, 11
- * **P-matrix**
 - GeneratePmatrix, 11
- * **Pmatrix**
 - GeneratePmatrix, 11
- * **Projection**
 - GeneralizedUmatrix-package, 2
- * **U*-Matrix**
 - CalcUstarmatrix, 5
- * **U*-matrix**
 - CalcUstarmatrix, 5
- * **U*matrix**
 - CalcUstarmatrix, 5
- * **U-Matrix**
 - GeneralizedUmatrix, 9
 - GeneralizedUmatrix-package, 2
 - plotTopographicMap, 14
 - TopviewTopographicMap, 19
- * **U-matrix**
 - GeneralizedUmatrix-package, 2
 - upscaleUmatrix, 22
- * **Umatrix**
 - ExtendToroidalUmatrix, 8
 - GeneralizedUmatrix, 9
 - GeneralizedUmatrix-package, 2
 - plotTopographicMap, 14
 - TopviewTopographicMap, 19
- * **Ustar-Matrix**
 - CalcUstarmatrix, 5
- * **Ustar-matrix**
 - CalcUstarmatrix, 5
- * **Ustarmatrix**
 - CalcUstarmatrix, 5
- * **Visualization**
 - GeneralizedUmatrix-package, 2
- * **abstract U-matrix**
 - NormalizeUmatrix, 13
- * **datasets**
 - Chainlink, 6
- * **map**
 - plotTopographicMap, 14
 - TopviewTopographicMap, 19
- * **topographic map**
 - plotTopographicMap, 14
 - TopviewTopographicMap, 19
 - upscaleUmatrix, 22
- * **topographic**

- plotTopographicMap, [14](#)
- TopviewTopographicMap, [19](#)
- * **visualization**
 - GeneralizedUmatrix, [9](#)
 - plotTopographicMap, [14](#)
 - TopviewTopographicMap, [19](#)
- addRowWiseC, [5](#)
- bgplot3d, [15](#)
- CalcUstarmatrix, [5](#)
- calcUstarmatrix (CalcUstarmatrix), [5](#)
- Chainlink, [6](#)
- DefaultColorSequence, [7](#)
- Delta3DWeightsC, [7](#)
- EsomNeuronsAsList, [8](#), [12](#)
- ExtendToroidalUmatrix, [8](#)
- GeneralizedUmatrix, [7](#), [9](#), [16](#), [18](#)
- GeneralizedUmatrix-package, [2](#)
- GeneratePmatrix, [11](#)
- getUmatrix4Projection
 - (GeneralizedUmatrix), [9](#)
- list, [8](#)
- ListAsEsomNeurons, [8](#), [12](#)
- NormalizeUmatrix, [13](#)
- plot, [15](#)
- plotTopographicMap, [10](#), [14](#), [19](#), [20](#), [22](#)
- rglwidget, [16](#)
- sESOM4BMUs, [17](#)
- setdiffMatrix, [18](#)
- TopviewTopographicMap, [19](#)
- trainstepC, [20](#)
- UmatrixColormap, [21](#)
- upscaleUmatrix, [22](#)
- XYcoords2LinesColumns, [23](#)