

Package ‘ggforce’

August 20, 2019

Type Package

Title Accelerating 'ggplot2'

Version 0.3.1

Maintainer Thomas Lin Pedersen <thomasp85@gmail.com>

Description The aim of 'ggplot2' is to aid in visual data investigations. This focus has led to a lack of facilities for composing specialised plots. 'ggforce' aims to be a collection of mainly new stats and geoms that fills this gap. All additional functionality is aimed to come through the official extension system so using 'ggforce' should be a stable experience.

URL <https://ggforce.data-imaginist.com>

BugReports <https://github.com/thomasp85/ggforce/issues>

License MIT + file LICENSE

LazyData TRUE

Encoding UTF-8

Depends ggplot2 (>= 3.0.0), R (>= 3.3.0)

Imports Rcpp (>= 0.12.2), grid, scales, MASS, tweenr (>= 0.1.5),
gtable, rlang, polyclip, stats, grDevices, tidyselect, withr,
utils

LinkingTo Rcpp, RcppEigen

RoxygenNote 6.1.1

Suggests sessioninfo, concaveman, deldir, reshape2, units (>= 0.4-6)

Collate 'RcppExports.R' 'aaa.R' 'shape.R' 'arc_bar.R' 'arc.R'
'autodensity.R' 'autohistogram.R' 'autopoint.R' 'bezier.R'
'bspline.R' 'bspline_closed.R' 'circle.R' 'diagonal.R'
'diagonal_wide.R' 'ellipse.R' 'facet_grid_paginate.R'
'facet_matrix.R' 'facet_row.R' 'facet_stereo.R'
'facet_wrap_paginate.R' 'facet_zoom.R' 'ggforce_package.R'
'ggproto-classes.R' 'interpolate.R' 'link.R' 'mark_circle.R'
'mark_ellipse.R' 'mark_hull.R' 'mark_label.R' 'mark_rect.R'
'parallel_sets.R' 'position-jitternormal.R' 'position_auto.R'
'position_floatstack.R' 'regon.R' 'scale-depth.R'

'scale-unit.R' 'sina.R' 'spiro.R' 'themes.R' 'trans.R'
 'trans_linear.R' 'utilities.R' 'voronoi.R'

NeedsCompilation yes

Author Thomas Lin Pedersen [cre, aut]
 (<<https://orcid.org/0000-0002-5147-4711>>),
 RStudio [cph]

Repository CRAN

Date/Publication 2019-08-20 09:50:05 UTC

R topics documented:

ggforce-package	3
facet_grid_paginate	4
facet_matrix	6
facet_row	8
facet_stereo	9
facet_wrap_paginate	10
facet_zoom	12
gather_set_data	13
GeomShape	14
geom_arc	14
geom_arc_bar	17
geom_autodensity	20
geom_autopoint	22
geom_bezier	23
geom_bspline	26
geom_bspline_closed	29
geom_circle	32
geom_diagonal	34
geom_diagonal_wide	37
geom_ellipse	39
geom_link	41
geom_mark_circle	44
geom_mark_ellipse	47
geom_mark_hull	51
geom_mark_rect	55
geom_parallel_sets	58
geom_regon	61
geom_shape	63
geom_sina	65
geom_spiro	69
geom_voronoi	71
linear_trans	75
n_pages	76
position_auto	76
position_jitternormal	77

power_trans	78
radial_trans	79
scale_depth	80
scale_unit	81
theme_no_axes	83
trans_reverser	84

Index	85
--------------	-----------

ggforce-package	<i>ggforce: Accelerating 'ggplot2'</i>
-----------------	--

Description

The aim of 'ggplot2' is to aid in visual data investigations. This focus has led to a lack of facilities for composing specialised plots. 'ggforce' aims to be a collection of mainly new stats and geoms that fills this gap. All additional functionality is aimed to come through the official extension system so using 'ggforce' should be a stable experience.

Author(s)

Maintainer: Thomas Lin Pedersen <thomasp85@gmail.com> (0000-0002-5147-4711)

Other contributors:

- RStudio [copyright holder]

See Also

Useful links:

- <https://ggforce.data-imaginist.com>
- Report bugs at <https://github.com/thomasp85/ggforce/issues>

Examples

```
rocketData <- data.frame(
  x = c(1, 1, 2, 2),
  y = c(1, 2, 2, 3)
)
rocketData <- do.call(rbind, lapply(seq_len(500) - 1, function(i) {
  rocketData$y <- rocketData$y - c(0, i / 500)
  rocketData$group <- i + 1
  rocketData
}))
rocketData2 <- data.frame(
  x = c(2, 2.25, 2),
  y = c(2, 2.5, 3)
)
rocketData2 <- do.call(rbind, lapply(seq_len(500) - 1, function(i) {
  rocketData2$x[2] <- rocketData2$x[2] - i * 0.25 / 500
```

```

rocketData2$group <- i + 1 + 500
rocketData2
}))

ggplot() + geom_link(aes(
  x = 2, y = 2, xend = 3, yend = 3, alpha = ..index..,
  size = ..index..
), colour = 'goldenrod', n = 500) +
  geom_bezier(aes(x = x, y = y, group = group, colour = ..index..),
    data = rocketData
  ) +
  geom_bezier(aes(x = y, y = x, group = group, colour = ..index..),
    data = rocketData
  ) +
  geom_bezier(aes(x = x, y = y, group = group, colour = 1),
    data = rocketData2
  ) +
  geom_bezier(aes(x = y, y = x, group = group, colour = 1),
    data = rocketData2
  ) +
  geom_text(aes(x = 1.65, y = 1.65, label = 'ggplot2', angle = 45),
    colour = 'white', size = 15
  ) +
  coord_fixed() +
  scale_x_reverse() +
  scale_y_reverse() +
  scale_alpha(range = c(1, 0), guide = 'none') +
  scale_size_continuous(
    range = c(20, 0.1), trans = 'exp',
    guide = 'none'
  ) +
  scale_color_continuous(guide = 'none') +
  xlab('') + ylab('') +
  ggtitle('ggforce: Accelerating ggplot2') +
  theme(plot.title = element_text(size = 20))

```

facet_grid_paginate *Split facet_grid over multiple plots*

Description

This extension to `ggplot2::facet_grid()` will allow you to split a faceted plot over multiple pages. You define a number of rows and columns per page as well as the page number to plot, and the function will automatically only plot the correct panels. Usually this will be put in a loop to render all pages one by one.

Usage

```

facet_grid_paginate(facets, margins = FALSE, scales = "fixed",
  space = "fixed", shrink = TRUE, labeller = "label_value",

```

```
as.table = TRUE, switch = NULL, drop = TRUE, ncol = NULL,
nrow = NULL, page = 1, byrow = TRUE)
```

Arguments

facets	This argument is soft-deprecated, please use rows and cols instead.
margins	Either a logical value or a character vector. Margins are additional facets which contain all the data for each of the possible values of the faceting variables. If FALSE, no additional facets are included (the default). If TRUE, margins are included for all faceting variables. If specified as a character vector, it is the names of variables for which margins are to be created.
scales	Are scales shared across all facets (the default, "fixed"), or do they vary across rows ("free_x"), columns ("free_y"), or both rows and columns ("free")?
space	If "fixed", the default, all panels have the same size. If "free_y" their height will be proportional to the length of the y scale; if "free_x" their width will be proportional to the length of the x scale; or if "free" both height and width will vary. This setting has no effect unless the appropriate scales also vary.
shrink	If TRUE, will shrink scales to fit output of statistics, not raw data. If FALSE, will be range of raw data before statistical summary.
labeller	A function that takes one data frame of labels and returns a list or data frame of character vectors. Each input column corresponds to one factor. Thus there will be more than one with formulae of the type $\sim cyl + am$. Each output column gets displayed as one separate line in the strip label. This function should inherit from the "labeller" S3 class for compatibility with <code>labeller()</code> . See <code>label_value()</code> for more details and pointers to other options.
as.table	If TRUE, the default, the facets are laid out like a table with highest values at the bottom-right. If FALSE, the facets are laid out like a plot with the highest value at the top-right.
switch	By default, the labels are displayed on the top and right of the plot. If "x", the top labels will be displayed to the bottom. If "y", the right-hand side labels will be displayed to the left. Can also be set to "both".
drop	If TRUE, the default, all factor levels not used in the data will automatically be dropped. If FALSE, all factor levels will be shown, regardless of whether or not they appear in the data.
ncol	Number of columns per page
nrow	Number of rows per page
page	The page to draw
byrow	Should the pages be created row-wise or column wise

Note

If either ncol or nrow is NULL this function will fall back to the standard facet_grid functionality.

See Also

`n_pages()` to compute the total number of pages in a paginated faceted plot

Other ggforce facets: `facet_stereo`, `facet_wrap_paginate`, `facet_zoom`

Examples

```
# Draw a small section of the grid
ggplot(diamonds) +
  geom_point(aes(carat, price), alpha = 0.1) +
  facet_grid_paginate(color ~ cut:clarity, ncol = 3, nrow = 3, page = 4)
```

facet_matrix	<i>Facet by different data columns</i>
--------------	--

Description

The `facet_matrix()` facet allows you to put different data columns into different rows and columns in a grid of panels. If the same data columns are present in both the rows and the columns of the grid, and used together with `ggplot2::geom_point()` it is also known as a scatterplot matrix, and if other geoms are used it is sometimes referred to as a pairs plot. `facet_matrix` is so flexible that these types are simply a subset of its capabilities, as any combination of data columns can be plotted against each other using any type of geom. Layers should use the `.panel_x` and `.panel_y` placeholders to map aesthetics to, in order to access the row and column data.

Usage

```
facet_matrix(rows, cols = rows, shrink = TRUE, switch = NULL,
  flip.rows = FALSE, alternate.axes = FALSE, layer.lower = NULL,
  layer.diag = NULL, layer.upper = NULL, layer.continuous = NULL,
  layer.discrete = NULL, layer.mixed = NULL, grid.y.diag = TRUE)
```

Arguments

rows, cols	A specification of the data columns to put in the rows and columns of the facet grid. They are specified using the <code>ggplot2::vars()</code> function wherein you can use standard tidyselect syntax as known from e.g. <code>dplyr::select()</code> . These data values will be made available to the different layers through the <code>.panel_x</code> and <code>.panel_y</code> variables.
shrink	If TRUE, will shrink scales to fit output of statistics, not raw data. If FALSE, will be range of raw data before statistical summary.
switch	By default, the labels are displayed on the top and right of the plot. If "x", the top labels will be displayed to the bottom. If "y", the right-hand side labels will be displayed to the left. Can also be set to "both".
flip.rows	Should the order of the rows be reversed so that, if the rows and columns are equal, the diagonal goes from bottom-left to top-right instead of top-left to bottom-right.
alternate.axes	Should axes be drawn at alternating positions.
layer.lower, layer.diag, layer.upper	Specification for where each layer should appear. The default (NULL) will allow any layer that has not been specified directly to appear at that position. Putting

e.g. `layer.diag = 2` will make the second layer appear on the diagonal as well as remove that layer from any position that has NULL. Using TRUE will put all layers at that position, and using FALSE will conversely remove all layers. These settings will only have an effect if the grid is symmetric.

`layer.continuous`, `layer.discrete`, `layer.mixed`

As above, but instead of referencing panel positions it references the combination of position scales in the panel. Continuous panels have both a continuous x and y axis, discrete panels have both a discrete x and y axis, and mixed panels have one of each. Unlike the position based specifications above these also have an effect in non-symmetric grids.

`grid.y.diag`

Should the y grid be removed from the diagonal? In certain situations the diagonal are used to plot the distribution of the column data and will thus not use the y-scale. Removing the y gridlines can indicate this.

Note

Due to the special nature of this faceting it slightly breaks the ggplot2 API, in that any positional scale settings are ignored. This is because each row and column in the grid will potentially have very different scale types and it is not currently possible to have multiple different scale specifications in the same plot object.

See Also

[geom_autopoint](#), [geom_autohistogram](#), [geom_autodensity](#), and [position_auto](#) for geoms and positions that adapts to different positional scale types

Examples

```
# Standard use:
ggplot(mpg) +
  geom_point(aes(x = .panel_x, y = .panel_y)) +
  facet_matrix(vars(displ, cty, hwy))

# Switch the diagonal, alternate the axes and style strips as axis labels
ggplot(mpg) +
  geom_point(aes(x = .panel_x, y = .panel_y)) +
  facet_matrix(vars(displ, cty, hwy), flip.rows = TRUE,
                alternate.axes = TRUE, switch = 'both') +
  theme(strip.background = element_blank(),
        strip.placement = 'outside',
        strip.text = element_text(size = 12))

# Mix discrete and continuous columns. Use geom_autopoint for scale-based jitter
ggplot(mpg) +
  geom_autopoint() +
  facet_matrix(vars(drv:fl))

# Have a special diagonal layer
ggplot(mpg) +
  geom_autopoint() +
  geom_autodensity() +
```

```

facet_matrix(vars(drv:fl), layer.diag = 2)

# Show continuous panels in upper triangle as contours and rest as binned
ggplot(mpg) +
  geom_autopoint() +
  geom_autodensity() +
  geom_density2d(aes(x = .panel_x, y = .panel_y)) +
  geom_bin2d(aes(x = .panel_x, y = .panel_y)) +
  facet_matrix(vars(drv:fl), layer.lower = 1, layer.diag = 2,
              layer.continuous = -4, layer.discrete = -3, layer.mixed = -3)

# Make asymmetric grid
ggplot(mpg) +
  geom_boxplot(aes(x = .panel_x, y = .panel_y, group = .panel_x)) +
  facet_matrix(rows = vars(cty, hwy), cols = vars(drv, fl))

```

 facet_row

One-dimensional facets

Description

These facets are one-dimensional versions of `ggplot2::facet_wrap()`, arranging the panels in either a single row or a single column. This restriction makes it possible to support a space argument as seen in `ggplot2::facet_grid()` which, if set to "free" will allow the panels to be sized based on the relative range of their scales. Another way of thinking about them are one-dimensional versions of `ggplot2::facet_grid()` (ie. `. ~ {var}` or `{var} ~ .`), but with the ability to position the strip at either side of the panel. However you look at it it is the best of both world if you just need one dimension.

Usage

```
facet_row(facets, scales = "fixed", space = "fixed", shrink = TRUE,
         labeller = "label_value", drop = TRUE, strip.position = "top")
```

```
facet_col(facets, scales = "fixed", space = "fixed", shrink = TRUE,
         labeller = "label_value", drop = TRUE, strip.position = "top")
```

Arguments

facets A set of variables or expressions quoted by `vars()` and defining faceting groups on the rows or columns dimension. The variables can be named (the names are passed to `labeller`).

For compatibility with the classic interface, can also be a formula or character vector. Use either a one sided formula, `~a + b`, or a character vector, `c("a", "b")`.

scales	Should scales be fixed ("fixed", the default), free ("free"), or free in one dimension ("free_x", "free_y")?
space	Should the size of the panels be fixed or relative to the range of the respective position scales
shrink	If TRUE, will shrink scales to fit output of statistics, not raw data. If FALSE, will be range of raw data before statistical summary.
labeller	A function that takes one data frame of labels and returns a list or data frame of character vectors. Each input column corresponds to one factor. Thus there will be more than one with formulae of the type $\sim cyl + am$. Each output column gets displayed as one separate line in the strip label. This function should inherit from the "labeller" S3 class for compatibility with <code>labeller()</code> . See <code>label_value()</code> for more details and pointers to other options.
drop	If TRUE, the default, all factor levels not used in the data will automatically be dropped. If FALSE, all factor levels will be shown, regardless of whether or not they appear in the data.
strip.position	By default, the labels are displayed on the top of the plot. Using <code>strip.position</code> it is possible to place the labels on either of the four sides by setting <code>strip.position = c("top", "bottom", "left", "right")</code>

Examples

```
# Standard use
ggplot(mtcars) +
  geom_point(aes(dis, mpg)) +
  facet_col(~gear)
# It retains the ability to have unique scales for each panel
ggplot(mtcars) +
  geom_point(aes(dis, mpg)) +
  facet_col(~gear, scales = 'free')

# But can have free sizing along the stacking dimension
ggplot(mtcars) +
  geom_point(aes(dis, mpg)) +
  facet_col(~gear, scales = 'free', space = 'free')

# And you can position the strip where-ever you like
ggplot(mtcars) +
  geom_point(aes(dis, mpg)) +
  facet_col(~gear, scales = 'free', space = 'free', strip.position = 'bottom')
```

Description

This, arguably pretty useless function, lets you create plots with a sense of depth by creating two slightly different versions of the plot that corresponds to how the eyes would see it if the plot was 3 dimensional. To experience the effect look at the plots through 3D hardware such as Google Cardboard or by relaxing the eyes and focusing into the distance. The depth of a point is calculated for layers having a depth aesthetic supplied. The scaling of the depth can be controlled with `scale_depth()` as you would control any aesthetic. Negative values will result in features placed behind the paper plane, while positive values will result in features hovering in front of the paper. While features within each layer is sorted so those closest to you are plotted on top of those more distant, this cannot be done between layers. Thus, layers are always plotted on top of each others, even if the features in one layer lies behind features in a layer behind it. The depth experience is inaccurate and should not be used for conveying important data. Regard this more as a party-trick...

Usage

```
facet_stereo(IPD = 63.5, panel.size = 200, shrink = TRUE)
```

Arguments

IPD	The interpupillary distance (in mm) used for calculating point displacement. The default value is an average of both genders
panel.size	The final plot size in mm. As IPD this is used to calculate point displacement. Don't take this value too literal but experiment until you get a nice effect. Lower values gives higher displacement and thus require the plots to be observed from a closer distance
shrink	If TRUE, will shrink scales to fit output of statistics, not raw data. If FALSE, will be range of raw data before statistical summary.

See Also

Other ggforce facets: [facet_grid_paginate](#), [facet_wrap_paginate](#), [facet_zoom](#)

Examples

```
# You'll have to accept a warning about depth being an unknown aesthetic
ggplot(mtcars) +
  geom_point(aes(mpg, disp, depth = cyl)) +
  facet_stereo()
```

facet_wrap_paginate *Split facet_wrap over multiple plots*

Description

This extension to `ggplot2::facet_wrap()` will allow you to split a faceted plot over multiple pages. You define a number of rows and columns per page as well as the page number to plot, and the function will automatically only plot the correct panels. Usually this will be put in a loop to render all pages one by one.

Usage

```
facet_wrap_paginate(facets, nrow = NULL, ncol = NULL,
  scales = "fixed", shrink = TRUE, labeller = "label_value",
  as.table = TRUE, switch = NULL, drop = TRUE, dir = "h",
  strip.position = "top", page = 1)
```

Arguments

facets	A set of variables or expressions quoted by <code>vars()</code> and defining faceting groups on the rows or columns dimension. The variables can be named (the names are passed to <code>labeller</code>). For compatibility with the classic interface, can also be a formula or character vector. Use either a one sided formula, <code>~a + b</code> , or a character vector, <code>c("a", "b")</code> .
nrow, ncol	Number of rows and columns
scales	Should scales be fixed ("fixed", the default), free ("free"), or free in one dimension ("free_x", "free_y")?
shrink	If TRUE, will shrink scales to fit output of statistics, not raw data. If FALSE, will be range of raw data before statistical summary.
labeller	A function that takes one data frame of labels and returns a list or data frame of character vectors. Each input column corresponds to one factor. Thus there will be more than one with formulae of the type <code>~cyl + am</code> . Each output column gets displayed as one separate line in the strip label. This function should inherit from the "labeller" S3 class for compatibility with <code>labeller()</code> . See <code>label_value()</code> for more details and pointers to other options.
as.table	If TRUE, the default, the facets are laid out like a table with highest values at the bottom-right. If FALSE, the facets are laid out like a plot with the highest value at the top-right.
switch	By default, the labels are displayed on the top and right of the plot. If "x", the top labels will be displayed to the bottom. If "y", the right-hand side labels will be displayed to the left. Can also be set to "both".
drop	If TRUE, the default, all factor levels not used in the data will automatically be dropped. If FALSE, all factor levels will be shown, regardless of whether or not they appear in the data.
dir	Direction: either "h" for horizontal, the default, or "v", for vertical.
strip.position	By default, the labels are displayed on the top of the plot. Using <code>strip.position</code> it is possible to place the labels on either of the four sides by setting <code>strip.position = c("top", "bottom", "left", "right")</code>
page	The page to draw

Note

If either `ncol` or `nrow` is NULL this function will fall back to the standard `facet_wrap` functionality.

See Also

`n_pages()` to compute the total number of pages in a paginated faceted plot
 Other ggforce facets: [facet_grid_paginate](#), [facet_stereo](#), [facet_zoom](#)

Examples

```
ggplot(diamonds) +
  geom_point(aes(carat, price), alpha = 0.1) +
  facet_wrap_paginate(~ cut:clarity, ncol = 3, nrow = 3, page = 4)
```

 facet_zoom

Facet data for zoom with context

Description

This faceting provides the means to zoom in on a subset of the data, while keeping the view of the full dataset as a separate panel. The zoomed-in area will be indicated on the full dataset panel for reference. It is possible to zoom in on both the x and y axis at the same time. If this is done it is possible to both get each zoom separately and combined or just combined.

Usage

```
facet_zoom(x, y, xy, zoom.data, xlim = NULL, ylim = NULL,
  split = FALSE, horizontal = TRUE, zoom.size = 2,
  show.area = TRUE, shrink = TRUE)
```

Arguments

<code>x, y, xy</code>	An expression evaluating to a logical vector that determines the subset of data to zoom in on
<code>zoom.data</code>	An expression evaluating to a logical vector. If TRUE the data only shows in the zoom panels. If FALSE the data only show in the context panel. If NA the data will show in all panels.
<code>xlim, ylim</code>	Specific zoom ranges for each axis. If present they will override x, y, and/or xy.
<code>split</code>	If both x and y is given, should each axis zoom be shown separately as well? Defaults to FALSE
<code>horizontal</code>	If both x and y is given and <code>split = FALSE</code> How should the zoom panel be positioned relative to the full data panel? Defaults to TRUE
<code>zoom.size</code>	Sets the relative size of the zoom panel to the full data panel. The default (2) makes the zoom panel twice the size of the full data panel.
<code>show.area</code>	Should the zoom area be drawn below the data points on the full data panel? Defaults to TRUE.
<code>shrink</code>	If TRUE, will shrink scales to fit output of statistics, not raw data. If FALSE, will be range of raw data before statistical summary.

See Also

Other ggforce facets: [facet_grid_paginate](#), [facet_stereo](#), [facet_wrap_paginate](#)

Examples

```
# Zoom in on the versicolor species on the x-axis
ggplot(iris, aes(Petal.Length, Petal.Width, colour = Species)) +
  geom_point() +
  facet_zoom(x = Species == 'versicolor')

# Zoom in on versicolor on both axes
ggplot(iris, aes(Petal.Length, Petal.Width, colour = Species)) +
  geom_point() +
  facet_zoom(xy = Species == 'versicolor')

# Use different zoom criteria on each axis
ggplot(iris, aes(Petal.Length, Petal.Width, colour = Species)) +
  geom_point() +
  facet_zoom(x = Species != 'setosa', y = Species == 'versicolor')

# Get each axis zoom separately as well
ggplot(iris, aes(Petal.Length, Petal.Width, colour = Species)) +
  geom_point() +
  facet_zoom(xy = Species == 'versicolor', split = TRUE)

# Define the zoom area directly
ggplot(iris, aes(Petal.Length, Petal.Width, colour = Species)) +
  geom_point() +
  facet_zoom(xlim = c(2, 4))

# Selectively show data in the zoom panel
ggplot(iris, aes(Petal.Length, Petal.Width, colour = Species)) +
  geom_point() +
  facet_zoom(x = Species == 'versicolor', zoom.data = Species == 'versicolor')
```

gather_set_data

Tidy data for use with geom_parallel_sets

Description

This helper function makes it easy to change tidy data into a tidy(er) format that can be used by `geom_parallel_sets`.

Usage

```
gather_set_data(data, x, id_name = "id")
```

Arguments

data	A tidy dataframe with some categorical columns
x	The columns to use for axes in the parallel sets diagram
id_name	The name of the column that will contain the original index of the row.

Value

A data.frame

Examples

```
data <- reshape2::melt(Titanic)
head(gather_set_data(data, 1:4))
```

GeomShape	<i>ggforce extensions to ggplot2</i>
-----------	--------------------------------------

Description

ggforce makes heavy use of the ggproto class system to extend the functionality of ggplot2. In general the actual classes should be of little interest to users as the standard ggplot2 api of using geom_* and stat_* functions for building up the plot is encouraged.

geom_arc	<i>Arcs based on radius and radians</i>
----------	---

Description

This set of stats and geoms makes it possible to draw circle segments based on a center point, a radius and a start and end angle (in radians). These functions are intended for cartesian coordinate systems and makes it possible to create circular plot types without using the `ggplot2::coord_polar()` coordinate system.

Usage

```
stat_arc(mapping = NULL, data = NULL, geom = "arc",
         position = "identity", na.rm = FALSE, show.legend = NA, n = 360,
         inherit.aes = TRUE, ...)
```

```
geom_arc(mapping = NULL, data = NULL, stat = "arc",
         position = "identity", n = 360, arrow = NULL, lineend = "butt",
         na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, ...)
```

```
stat_arc2(mapping = NULL, data = NULL, geom = "path_interpolate",
          position = "identity", na.rm = FALSE, show.legend = NA, n = 360,
```

```

inherit.aes = TRUE, ...)

geom_arc2(mapping = NULL, data = NULL, stat = "arc2",
  position = "identity", n = 360, arrow = NULL, lineend = "butt",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, ...)

stat_arc0(mapping = NULL, data = NULL, geom = "arc0",
  position = "identity", na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)

geom_arc0(mapping = NULL, data = NULL, stat = "arc0",
  position = "identity", ncp = 5, arrow = NULL, lineend = "butt",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, ...)

```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A data frame, or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a data frame, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
n	the smoothness of the arc. Sets the number of points to use if the arc would cover a full circle
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.

arrow	Arrow specification, as created by <code>grid::arrow()</code> .
lineend	Line end style (round, butt, square).
ncp	the number of control points used to draw the arc with <code>curveGrob</code> . Determines how well the arc approximates a circle section

Details

An arc is a segment of a line describing a circle. It is the fundamental visual element in donut charts where the length of the segment (and conversely the angular span of the segment) describes the proportion of an entity.

Aesthetics

`geom_arc` understand the following aesthetics (required aesthetics are in bold):

- **x0**
- **y0**
- **r**
- **start**
- **end**
- color
- size
- linetype
- alpha
- lineend

Computed variables

x, y The start coordinates for the segment

xend, yend The end coordinates for the segment

curvature The curvature of the `curveGrob` to match a circle

See Also

[geom_arc_bar\(\)](#) for drawing arcs with fill

Examples

```
# Lets make some data
arcs <- data.frame(
  start = seq(0, 2 * pi, length.out = 11)[-11],
  end = seq(0, 2 * pi, length.out = 11)[-1],
  r = rep(1:2, 5)
)

# Behold the arcs
ggplot(arcs) +
```



```

geom_arc(aes(x0 = 0, y0 = 0, r = r, start = start, end = end,
            linetype = factor(r)))

# Use the calculated index to map values to position on the arc
ggplot(arcs) +
  geom_arc(aes(x0 = 0, y0 = 0, r = r, start = start, end = end,
              size = stat(index)), lineend = 'round') +
  scale_radius() # linear size scale

# The 0 version maps directly to curveGrob instead of calculating the points
# itself
ggplot(arcs) +
  geom_arc0(aes(x0 = 0, y0 = 0, r = r, start = start, end = end,
               linetype = factor(r)))

# The 2 version allows interpolation of aesthetics between the start and end
# points
arcs2 <- data.frame(
  angle = c(arcs$start, arcs$end),
  r = rep(arcs$r, 2),
  group = rep(1:10, 2),
  colour = sample(letters[1:5], 20, TRUE)
)

ggplot(arcs2) +
  geom_arc2(aes(x0 = 0, y0 = 0, r = r, end = angle, group = group,
               colour = colour), size = 2)

```

geom_arc_bar

Arcs and wedges as polygons

Description

This set of stats and geoms makes it possible to draw arcs and wedges as known from pie and donut charts as well as more specialized plottypes such as sunburst plots.

Usage

```

stat_arc_bar(mapping = NULL, data = NULL, geom = "arc_bar",
             position = "identity", n = 360, na.rm = FALSE, show.legend = NA,
             inherit.aes = TRUE, ...)

```

```

stat_pie(mapping = NULL, data = NULL, geom = "arc_bar",
         position = "identity", n = 360, sep = 0, na.rm = FALSE,
         show.legend = NA, inherit.aes = TRUE, ...)

```

```

geom_arc_bar(mapping = NULL, data = NULL, stat = "arc_bar",
             position = "identity", n = 360, expand = 0, radius = 0,
             na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, ...)

```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
n	The number of points used to draw a full circle. The number of points on each arc will then be calculated as <code>n / span-of-arc</code>
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
sep	The separation between arcs in pie/donut charts
stat	The statistical transformation to use on the data for this layer, as a string.
expand	A numeric or unit vector of length one, specifying the expansion amount. Negative values will result in contraction instead. If the value is given as a numeric it will be understood as a proportion of the plot area width.
radius	As <code>expand</code> but specifying the corner radius.

Details

An arc bar is the thick version of an arc; that is, a circle segment drawn as a polygon in the same way as a rectangle is a thick version of a line. A wedge is a special case of an arc where the inner radius is 0. As opposed to applying `coord_polar` to a stacked bar chart, these layers are drawn in cartesian space, which allows for transformations not possible with the native `ggplot2` approach. Most notable of these are the option to explode arcs and wedgets away from their center point, thus detaching it from the main pie/donut.

Aesthetics

geom_arc_bar understand the following aesthetics (required aesthetics are in bold):

- **x0**
- **y0**
- **r0**
- **r**
- **start** - when using stat_arc_bar
- **end** - when using stat_arc_bar
- **amount** - when using stat_pie
- explode
- color
- fill
- size
- linetype
- alpha

Computed variables

x, y x and y coordinates for the polygon

x, y The start coordinates for the segment

See Also

[geom_arc\(\)](#) for drawing arcs as lines

Examples

```
# If you know the angle spans to plot it is easy
arcs <- data.frame(
  start = seq(0, 2 * pi, length.out = 11)[-11],
  end = seq(0, 2 * pi, length.out = 11)[-1],
  r = rep(1:2, 5)
)

# Behold the arcs
ggplot(arcs) +
  geom_arc_bar(aes(x0 = 0, y0 = 0, r0 = r - 1, r = r, start = start,
                  end = end, fill = r))

# geom_arc_bar uses geom_shape to draw the arcs, so you have all the
# possibilities of that as well, e.g. rounding of corners
ggplot(arcs) +
  geom_arc_bar(aes(x0 = 0, y0 = 0, r0 = r - 1, r = r, start = start,
                  end = end, fill = r), radius = unit(4, 'mm'))
```

```

# If you got values for a pie chart, use stat_pie
states <- c(
  'eaten', "eaten but said you didn't", 'cat took it', 'for tonight',
  'will decompose slowly'
)
pie <- data.frame(
  state = factor(rep(states, 2), levels = states),
  type = rep(c('Pie', 'Donut'), each = 5),
  r0 = rep(c(0, 0.8), each = 5),
  focus = rep(c(0.2, 0, 0, 0, 0), 2),
  amount = c(4, 3, 1, 1.5, 6, 6, 1, 2, 3, 2),
  stringsAsFactors = FALSE
)

# Look at the cakes
ggplot() + geom_arc_bar(aes(
  x0 = 0, y0 = 0, r0 = r0, r = 1, amount = amount,
  fill = state, explode = focus
),
data = pie, stat = 'pie'
) +
  facet_wrap(~type, ncol = 1) +
  coord_fixed() +
  theme_no_axes() +
  scale_fill_brewer('', type = 'qual')

```

geom_autodensity	<i>A distribution geoms that fills the panel and works with discrete and continuous data</i>
------------------	--

Description

These versions of the histogram and density geoms have been designed specifically for diagonal plotting with `facet_matrix()`. They differ from `ggplot2::geom_histogram()` and `ggplot2::geom_density()` in that they defaults to mapping `x` and `y` to `.panel_x` and `.panel_y` respectively, they ignore the `y` scale of the panel and fills it out, and they work for both continuous and discrete `x` scales.

Usage

```

geom_autodensity(mapping = NULL, data = NULL, stat = "autodensity",
  position = "floatstack", ..., bw = "nrd0", adjust = 1,
  kernel = "gaussian", n = 512, trim = FALSE, na.rm = FALSE,
  show.legend = NA, inherit.aes = TRUE)

geom_autohistogram(mapping = NULL, data = NULL, stat = "autobin",
  position = "floatstack", ..., bins = NULL, na.rm = FALSE,
  show.legend = NA, inherit.aes = TRUE)

```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
stat	Use to override the default connection between <code>geom_density</code> and <code>stat_density</code> .
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
bw	The smoothing bandwidth to be used. If numeric, the standard deviation of the smoothing kernel. If character, a rule to choose the bandwidth, as listed in <code>stats::bw.nrd()</code> .
adjust	A multiplicate bandwidth adjustment. This makes it possible to adjust the bandwidth while still using the a bandwidth estimator. For example, <code>adjust = 1/2</code> means use half of the default bandwidth.
kernel	Kernel. See list of available kernels in <code>density()</code> .
n	number of equally spaced points at which the density is to be estimated, should be a power of two, see <code>density()</code> for details
trim	This parameter only matters if you are displaying multiple densities in one plot. If <code>FALSE</code> , the default, each density is computed on the full range of the data. If <code>TRUE</code> , each density is computed over the range of that group: this typically means the estimated x values will not line-up, and hence you won't be able to stack density values.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
bins	Number of bins. Overridden by <code>binwidth</code> . Defaults to 30.

See Also

[facet_matrix](#) for creating matrix grids

Examples

```
# A matrix plot with a mix of discrete and continuous variables
p <- ggplot(mpg) +
  geom_autopoint() +
  facet_matrix(vars(drv:fl), layer.diag = 2, grid.y.diag = FALSE)
p

# Diagonal histograms
p + geom_autohistogram()

# Diagonal density distributions
p + geom_autodensity()

# You can use them like regular layers with groupings etc
p + geom_autodensity(aes(colour = drv, fill = drv),
  alpha = 0.4)
```

geom_autopoint

A point geom specialised for scatterplot matrices

Description

This geom is a specialisation of `ggplot2::geom_point()` with two changes. It defaults to mapping `x` and `y` to `.panel_x` and `.panel_y` respectively, and it defaults to using `position_auto()` to jitter the points based on the combination of position scale types.

Usage

```
geom_autopoint(mapping = NULL, data = NULL, stat = "identity",
  position = "auto", ..., na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created.

A function will be called with a single argument, the plot data. The return value must be a `data.frame`, and will be used as the layer data. A function can be created from a formula (e.g. `~ head(.x, 10)`).

<code>stat</code>	The statistical transformation to use on the data for this layer, as a string.
<code>position</code>	Position adjustment, either as a string, or the result of a call to a position adjustment function.
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired <code>geom/stat</code> .
<code>na.rm</code>	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

See Also

[facet_matrix](#) for how to lay out scatterplot matrices and [position_auto](#) for information about the position adjustments

Examples

```
# Continuous vs continuous: No jitter
ggplot(mpg) + geom_autopoint(aes(cty, hwy))

# Continuous vs discrete: sina jitter
ggplot(mpg) + geom_autopoint(aes(cty, drv))

# Discrete vs discrete: disc-jitter
ggplot(mpg) + geom_autopoint(aes(fl, drv))

# Used with facet_matrix (x and y are automatically mapped)
ggplot(mpg) +
  geom_autopoint() +
  facet_matrix(vars(drv:fl))
```

Description

This set of geoms makes it possible to connect points creating either quadratic or cubic beziers. `bezier` and `bezier2` both work by calculating points along the bezier and connecting these to draw the curve. `bezier0` directly draws the bezier using `bezierGrob`. In line with the `geom_link()` and `geom_link2()` differences `geom_bezier` creates the points, assign an index to each interpolated point and repeat the aesthetics for the start point, while `geom_bezier2` interpolates the aesthetics between the start and end points.

Usage

```
stat_bezier(mapping = NULL, data = NULL, geom = "path",
  position = "identity", na.rm = FALSE, show.legend = NA, n = 100,
  inherit.aes = TRUE, ...)

geom_bezier(mapping = NULL, data = NULL, stat = "bezier",
  position = "identity", arrow = NULL, lineend = "butt",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, n = 100,
  ...)

stat_bezier2(mapping = NULL, data = NULL, geom = "path_interpolate",
  position = "identity", na.rm = FALSE, show.legend = NA, n = 100,
  inherit.aes = TRUE, ...)

geom_bezier2(mapping = NULL, data = NULL, stat = "bezier2",
  position = "identity", arrow = NULL, lineend = "butt",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, n = 100,
  ...)

stat_bezier0(mapping = NULL, data = NULL, geom = "bezier0",
  position = "identity", na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)

geom_bezier0(mapping = NULL, data = NULL, stat = "bezier0",
  position = "identity", arrow = NULL, lineend = "butt",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, ...)
```

Arguments

<code>mapping</code>	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes</code> = <code>TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply <code>mapping</code> if there is no plot mapping.
<code>data</code>	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created.

A function will be called with a single argument, the plot data. The return value must be a `data.frame`, and will be used as the layer data. A function can be created from a formula (e.g. `~ head(.x, 10)`).

<code>geom</code>	The geometric object to use display the data
<code>position</code>	Position adjustment, either as a string, or the result of a call to a position adjustment function.
<code>na.rm</code>	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>n</code>	The number of points to create for each segment
<code>inherit.aes</code>	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
<code>stat</code>	The statistical transformation to use on the data for this layer, as a string.
<code>arrow</code>	Arrow specification, as created by <code>grid::arrow()</code> .
<code>lineend</code>	Line end style (round, butt, square).

Details

Input data is understood as a sequence of data points the first being the start point, then followed by one or two control points and then the end point. More than 4 and less than 3 points per group will throw an error. `grid::bezierGrob()` only takes cubic beziers so if three points are supplied the middle one as duplicated. This, along with the fact that `grid::bezierGrob()` estimates the curve using an x-spline means that the curves produced by `geom_bezier` and `geom_bezier2` deviates from those produced by `geom_bezier0`. If you want true bezier paths use `geom_bezier` or `geom_bezier2`.

Aesthetics

`geom_bezier`, `geom_bezier2` and `geom_bezier0` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- color
- size
- linetype
- alpha
- lineend

Computed variables

x, y The interpolated point coordinates

index The progression along the interpolation mapped between 0 and 1

Examples

```

beziers <- data.frame(
  x = c(1, 2, 3, 4, 4, 6, 6),
  y = c(0, 2, 0, 0, 2, 2, 0),
  type = rep(c('cubic', 'quadratic'), c(3, 4)),
  point = c('end', 'control', 'end', 'end', 'control', 'control', 'end'),
  colour = letters[1:7]
)
help_lines <- data.frame(
  x = c(1, 3, 4, 6),
  xend = c(2, 2, 4, 6),
  y = 0,
  yend = 2
)

# See how control points affect the bezier
ggplot() +
  geom_segment(aes(x = x, xend = xend, y = y, yend = yend),
    data = help_lines,
    arrow = arrow(length = unit(c(0, 0, 0.5, 0.5), 'cm')),
    colour = 'grey') +
  geom_bezier(aes(x = x, y = y, group = type, linetype = type),
    data = beziers) +
  geom_point(aes(x = x, y = y, colour = point),
    data = beziers)

# geom_bezier0 is less exact
ggplot() +
  geom_segment(aes(x = x, xend = xend, y = y, yend = yend),
    data = help_lines,
    arrow = arrow(length = unit(c(0, 0, 0.5, 0.5), 'cm')),
    colour = 'grey') +
  geom_bezier0(aes(x = x, y = y, group = type, linetype = type),
    data = beziers) +
  geom_point(aes(x = x, y = y, colour = point),
    data = beziers)

# Use geom_bezier2 to interpolate between endpoint aesthetics
ggplot(beziers) +
  geom_bezier2(aes(x = x, y = y, group = type, colour = colour))

```

Description

This set of stats and geoms makes it possible to draw b-splines based on a set of control points. As with `geom_bezier()` there exists several versions each having their own strengths. The base version calculates the b-spline as a number of points along the spline and connects these with a path. The `*2` version does the same but in addition interpolates aesthetics between each control point. This makes the `*2` version considerably slower so it shouldn't be used unless needed. The `*0` version uses `grid::xsplineGrob()` with `shape = 1` to approximate a b-spline.

Usage

```
stat_bspline(mapping = NULL, data = NULL, geom = "path",
             position = "identity", na.rm = FALSE, n = 100, type = "clamped",
             show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_bspline(mapping = NULL, data = NULL, stat = "bspline",
             position = "identity", arrow = NULL, n = 100, type = "clamped",
             lineend = "butt", na.rm = FALSE, show.legend = NA,
             inherit.aes = TRUE, ...)
```

```
stat_bspline2(mapping = NULL, data = NULL, geom = "path_interpolate",
              position = "identity", na.rm = FALSE, n = 100, type = "clamped",
              show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_bspline2(mapping = NULL, data = NULL, stat = "bspline2",
              position = "identity", arrow = NULL, n = 100, type = "clamped",
              lineend = "butt", na.rm = FALSE, show.legend = NA,
              inherit.aes = TRUE, ...)
```

```
stat_bspline0(mapping = NULL, data = NULL, geom = "bspline0",
              position = "identity", na.rm = FALSE, show.legend = NA,
              inherit.aes = TRUE, type = "clamped", ...)
```

```
geom_bspline0(mapping = NULL, data = NULL, stat = "identity",
              position = "identity", arrow = NULL, lineend = "butt",
              na.rm = FALSE, show.legend = NA, inherit.aes = TRUE,
              type = "clamped", ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created.

A function will be called with a single argument, the plot data. The return value must be a `data.frame`, and will be used as the layer data. A function can be created from a formula (e.g. `~ head(.x, 10)`).

<code>geom</code>	The geometric object to use display the data
<code>position</code>	Position adjustment, either as a string, or the result of a call to a position adjustment function.
<code>na.rm</code>	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
<code>n</code>	The number of points generated for each spline
<code>type</code>	Either 'clamped' (default) or 'open'. The former creates a knot sequence that ensures the splines starts and ends at the terminal control points.
<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
<code>stat</code>	The statistical transformation to use on the data for this layer, as a string.
<code>arrow</code>	Arrow specification, as created by <code>grid::arrow()</code> .
<code>lineend</code>	Line end style (round, butt, square).

Aesthetics

`geom_bspline` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- color
- size
- linetype
- alpha
- lineend

Computed variables

x, y The coordinates for the path describing the spline

index The progression along the interpolation mapped between 0 and 1

Author(s)

Thomas Lin Pedersen. The C++ code for De Boor's algorithm has been adapted from [Jason Yu-Tseh Chi implementation](#)

Examples

```

# Define some control points
cp <- data.frame(
  x = c(
    0, -5, -5, 5, 5, 2.5, 5, 7.5, 5, 2.5, 5, 7.5, 5, -2.5, -5, -7.5, -5,
    -2.5, -5, -7.5, -5
  ),
  y = c(
    0, -5, 5, -5, 5, 5, 7.5, 5, 2.5, -5, -7.5, -5, -2.5, 5, 7.5, 5, 2.5,
    -5, -7.5, -5, -2.5
  ),
  class = sample(letters[1:3], 21, replace = TRUE)
)

# Now create some paths between them
paths <- data.frame(
  ind = c(
    7, 5, 8, 8, 5, 9, 9, 5, 6, 6, 5, 7, 7, 5, 1, 3, 15, 8, 5, 1, 3, 17, 9, 5,
    1, 2, 19, 6, 5, 1, 4, 12, 7, 5, 1, 4, 10, 6, 5, 1, 2, 20
  ),
  group = c(
    1, 1, 1, 2, 2, 2, 3, 3, 3, 4, 4, 4, 5, 5, 5, 5, 5, 6, 6, 6, 6, 6, 7, 7,
    7, 7, 7, 8, 8, 8, 8, 8, 9, 9, 9, 9, 9, 10, 10, 10, 10, 10
  )
)

paths$x <- cp$x[paths$ind]
paths$y <- cp$y[paths$ind]
paths$class <- cp$class[paths$ind]

ggplot(paths) +
  geom_bspline(aes(x = x, y = y, group = group, colour = ..index..)) +
  geom_point(aes(x = x, y = y), data = cp, color = 'steelblue')

ggplot(paths) +
  geom_bspline2(aes(x = x, y = y, group = group, colour = class)) +
  geom_point(aes(x = x, y = y), data = cp, color = 'steelblue')

ggplot(paths) +
  geom_bspline0(aes(x = x, y = y, group = group)) +
  geom_point(aes(x = x, y = y), data = cp, color = 'steelblue')

```

geom_bspline_closed *Create closed b-spline shapes*

Description

This geom creates closed b-spline curves and draws them as shapes. The closed b-spline is achieved by wrapping the control points rather than the knots. The *0 version uses the `grid::xsplineGrob()` function with `open = FALSE` and can thus not be manipulated as a shape geom in the same way as the base version (expand, contract, etc).

Usage

```

stat_bspline_closed(mapping = NULL, data = NULL, geom = "shape",
  position = "identity", na.rm = FALSE, n = 100, show.legend = NA,
  inherit.aes = TRUE, ...)

geom_bspline_closed(mapping = NULL, data = NULL, stat = "bspline",
  position = "identity", n = 100, na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)

geom_bspline_closed0(mapping = NULL, data = NULL, stat = "identity",
  position = "identity", na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)

```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
n	The number of points generated for each spline
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired <code>geom/stat</code> .
stat	The statistical transformation to use on the data for this layer, as a string.

Aesthetics

geom_bspline_closed understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- color
- fill
- size
- linetype
- alpha

Computed variables

x, y The coordinates for the path describing the spline

index The progression along the interpolation mapped between 0 and 1

Author(s)

Thomas Lin Pedersen. The C++ code for De Boor's algorithm has been adapted from [Jason Yu-Tseh Chi implementation](#)

Examples

```
# Create 6 random control points
controls <- data.frame(
  x = runif(6),
  y = runif(6)
)

ggplot(controls, aes(x, y)) +
  geom_polygon(fill = NA, colour = 'grey') +
  geom_point(colour = 'red') +
  geom_bspline_closed(alpha = 0.5)

# The 0 version approximates the correct shape
ggplot(controls, aes(x, y)) +
  geom_polygon(fill = NA, colour = 'grey') +
  geom_point(colour = 'red') +
  geom_bspline_closed0(alpha = 0.5)

# But only the standard version supports geom_shape operations
# Be aware of self-intersections though
ggplot(controls, aes(x, y)) +
  geom_polygon(fill = NA, colour = 'grey') +
  geom_point(colour = 'red') +
  geom_bspline_closed(alpha = 0.5, expand = unit(2, 'cm'))
```

geom_circle

*Circles based on center and radius***Description**

This set of stats and geoms makes it possible to draw circles based on a center point and a radius. In contrast to using `ggplot2::geom_point()`, the size of the circles are related to the coordinate system and not to a separate scale. These functions are intended for cartesian coordinate systems and will only produce a true circle if `ggplot2::coord_fixed()` is used.

Usage

```
stat_circle(mapping = NULL, data = NULL, geom = "circle",
            position = "identity", n = 360, na.rm = FALSE, show.legend = NA,
            inherit.aes = TRUE, ...)

geom_circle(mapping = NULL, data = NULL, stat = "circle",
            position = "identity", n = 360, expand = 0, radius = 0,
            na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
n	The number of points on the generated path per full circle.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.

inherit.aes	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.
expand	A numeric or unit vector of length one, specifying the expansion amount. Negative values will result in contraction instead. If the value is given as a numeric it will be understood as a proportion of the plot area width.
radius	As expand but specifying the corner radius.

Aesthetics

`geom_circle` understand the following aesthetics (required aesthetics are in bold):

- **x0**
- **y0**
- **r**
- color
- fill
- size
- linetype
- alpha
- lineend

Computed variables

x, y The start coordinates for the segment

Note

If the intend is to draw a bubble chart then use `ggplot2::geom_point()` and map a variable to the size scale

See Also

[geom_arc_bar\(\)](#) for drawing arcs with fill

Examples

```
# Lets make some data
circles <- data.frame(
  x0 = rep(1:3, 3),
  y0 = rep(1:3, each = 3),
  r = seq(0.1, 1, length.out = 9)
)
```

```
# Behold the some circles
ggplot() +
  geom_circle(aes(x0 = x0, y0 = y0, r = r, fill = r), data = circles)

# Use coord_fixed to ensure true circularity
ggplot() +
  geom_circle(aes(x0 = x0, y0 = y0, r = r, fill = r), data = circles) +
  coord_fixed()
```

geom_diagonal	<i>Draw horizontal diagonals</i>
---------------	----------------------------------

Description

A diagonal is a bezier curve where the control points are moved perpendicularly towards the center in either the x or y direction a fixed amount. The versions provided here calculates horizontal diagonals meaning that the x coordinate is moved to achieve the control point. The `geom_diagonal()` and `stat_diagonal()` functions are simply helpers that takes care of calculating the position of the control points and then forwards the actual bezier calculations to `geom_bezier()`.

Usage

```
stat_diagonal(mapping = NULL, data = NULL, geom = "path",
  position = "identity", n = 100, strength = 0.5, na.rm = FALSE,
  show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_diagonal(mapping = NULL, data = NULL, stat = "diagonal",
  position = "identity", n = 100, na.rm = FALSE, strength = 0.5,
  show.legend = NA, inherit.aes = TRUE, ...)
```

```
stat_diagonal2(mapping = NULL, data = NULL,
  geom = "path_interpolate", position = "identity", na.rm = FALSE,
  show.legend = NA, n = 100, strength = 0.5, inherit.aes = TRUE,
  ...)
```

```
geom_diagonal2(mapping = NULL, data = NULL, stat = "diagonal2",
  position = "identity", arrow = NULL, lineend = "butt",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, n = 100,
  strength = 0.5, ...)
```

```
stat_diagonal0(mapping = NULL, data = NULL, geom = "bezier0",
  position = "identity", na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, strength = 0.5, ...)
```

```
geom_diagonal0(mapping = NULL, data = NULL, stat = "diagonal0",
  position = "identity", arrow = NULL, lineend = "butt",
```

```
na.rm = FALSE, show.legend = NA, inherit.aes = TRUE,
strength = 0.5, ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
n	The number of points to create for each segment
strength	The proportion to move the control point along the x-axis towards the other end of the bezier curve
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.
arrow	Arrow specification, as created by <code>grid::arrow()</code> .
lineend	Line end style (round, butt, square).

Aesthetics

`geom_diagonal` and `geom_diagonal0` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**

- **xend**
- **yend**
- color
- size
- linetype
- alpha
- lineend

`geom_diagonal2` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- **group**
- color
- size
- linetype
- alpha
- lineend

Computed variables

x, y The interpolated point coordinates

index The progression along the interpolation mapped between 0 and 1

Examples

```
data <- data.frame(
  x = rep(0, 10),
  y = 1:10,
  xend = 1:10,
  yend = 2:11
)

ggplot(data) +
  geom_diagonal(aes(x, y, xend = xend, yend = yend))

# The standard version provides an index to create gradients
ggplot(data) +
  geom_diagonal(aes(x, y, xend = xend, yend = yend, alpha = stat(index)))

# The 0 version uses bezierGrob under the hood for an approximation
ggplot(data) +
  geom_diagonal0(aes(x, y, xend = xend, yend = yend))

# The 2 version allows you to interpolate between endpoint aesthetics
data2 <- data.frame(
  x = c(data$x, data$xend),
```

```

y = c(data$y, data$yend),
group = rep(1:10, 2),
colour = sample(letters[1:5], 20, TRUE)
)
ggplot(data2) +
  geom_diagonal2(aes(x, y, group = group, colour = colour))

# Use strength to control the steepness of the central region
ggplot(data, aes(x, y, xend = xend, yend = yend)) +
  geom_diagonal(strength = 0.75, colour = 'red') +
  geom_diagonal(strength = 0.25, colour = 'blue')

```

geom_diagonal_wide *Draw an area defined by an upper and lower diagonal*

Description

The `geom_diagonal_wide()` function draws a *thick* diagonal, that is, a polygon confined between a lower and upper [diagonal](#). As with the diagonal functions in `ggforce`, the wide diagonal variant is horizontal.

Usage

```

stat_diagonal_wide(mapping = NULL, data = NULL, geom = "shape",
  position = "identity", n = 100, strength = 0.5, na.rm = FALSE,
  show.legend = NA, inherit.aes = TRUE, ...)

```

```

geom_diagonal_wide(mapping = NULL, data = NULL,
  stat = "diagonal_wide", position = "identity", n = 100,
  na.rm = FALSE, strength = 0.5, show.legend = NA,
  inherit.aes = TRUE, ...)

```

Arguments

mapping	Set of aesthetic mappings created by aes() or aes_() . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	<p>The data to be displayed in this layer. There are three options:</p> <p>If <code>NULL</code>, the default, the data is inherited from the plot data as specified in the call to ggplot().</p> <p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See fortify() for which variables will be created.</p> <p>A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code>, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).</p>

geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
n	The number of points to create for each of the bounding diagonals
strength	The proportion to move the control point along the x-axis towards the other end of the bezier curve
na.rm	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.

Aesthetics

geom_diagonal_wide understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- **group**
- color
- size
- linetype
- alpha
- lineend

Examples

```
data <- data.frame(
  x = c(1, 2, 2, 1, 2, 3, 3, 2),
  y = c(1, 2, 3, 2, 3, 1, 2, 5),
  group = c(1, 1, 1, 1, 2, 2, 2, 2)
)

ggplot(data) +
  geom_diagonal_wide(aes(x, y, group = group))

# The strength control the steepness
ggplot(data, aes(x, y, group = group)) +
  geom_diagonal_wide(strength = 0.75, alpha = 0.5, fill = 'red') +
```

```
geom_diagonal_wide(strength = 0.25, alpha = 0.5, fill = 'blue')

# The diagonal_wide geom uses geom_shape under the hood, so corner rounding
# etc are all there
ggplot(data) +
  geom_diagonal_wide(aes(x, y, group = group), radius = unit(5, 'mm'))
```

geom_ellipse

Draw (super)ellipses based on the coordinate system scale

Description

This is a generalisation of `geom_circle()` that allows you to draw ellipses at a specified angle and center relative to the coordinate system. Apart from letting you draw regular ellipses, the stat is using the generalised formula for superellipses which can be utilised by setting the `m1` and `m2` aesthetics. If you only set the `m1` the `m2` value will follow that to ensure a symmetric appearance.

Usage

```
stat_ellip(mapping = NULL, data = NULL, geom = "circle",
  position = "identity", n = 360, na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)

geom_ellipse(mapping = NULL, data = NULL, stat = "ellip",
  position = "identity", n = 360, na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)
```

Arguments

<code>mapping</code>	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply <code>mapping</code> if there is no plot mapping.
<code>data</code>	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
<code>geom</code>	The geometric object to use display the data
<code>position</code>	Position adjustment, either as a string, or the result of a call to a position adjustment function.
<code>n</code>	The number of points to sample along the ellipse.

na.rm	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.

Aesthetics

`geom_arc` understand the following aesthetics (required aesthetics are in bold):

- **x0**
- **y0**
- **a**
- **b**
- **angle**
- m1
- m2
- color
- fill
- size
- linetype
- alpha
- lineend

Computed variables

x, y The coordinates for the points along the ellipse

Examples

```
# Basic usage
ggplot() +
  geom_ellipse(aes(x0 = 0, y0 = 0, a = 10, b = 3, angle = 0)) +
  coord_fixed()

# Rotation
# Note that it expects radians and rotates the ellipse counter-clockwise
ggplot() +
```



```

geom_ellipse(aes(x0 = 0, y0 = 0, a = 10, b = 3, angle = pi / 4)) +
  coord_fixed()

# Draw a super ellipse
ggplot() +
  geom_ellipse(aes(x0 = 0, y0 = 0, a = 6, b = 3, angle = -pi / 3, m1 = 3)) +
  coord_fixed()

```

geom_link

Link points with paths

Description

This set of geoms makes it possible to connect points using straight lines. Before you think `ggplot2::geom_segment()` and `ggplot2::geom_path()`, these functions have some additional tricks up their sleeves. `geom_link` connects two points in the same way as `ggplot2::geom_segment()` but does so by interpolating multiple points between the two. An additional column called `index` is added to the data with a sequential progression of the interpolated points. This can be used to map color or size to the direction of the link. `geom_link2` uses the same syntax as `ggplot2::geom_path()` but interpolates between the aesthetics given by each row in the data.

Usage

```

stat_link(mapping = NULL, data = NULL, geom = "path",
  position = "identity", na.rm = FALSE, show.legend = NA, n = 100,
  inherit.aes = TRUE, ...)

stat_link2(mapping = NULL, data = NULL, geom = "path_interpolate",
  position = "identity", na.rm = FALSE, show.legend = NA, n = 100,
  inherit.aes = TRUE, ...)

geom_link(mapping = NULL, data = NULL, stat = "link",
  position = "identity", arrow = NULL, lineend = "butt",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, n = 100,
  ...)

geom_link2(mapping = NULL, data = NULL, stat = "link2",
  position = "identity", arrow = NULL, lineend = "butt",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, n = 100,
  ...)

geom_link0(mapping = NULL, data = NULL, stat = "identity",
  position = "identity", ..., arrow = NULL, arrow.fill = NULL,
  lineend = "butt", linejoin = "round", na.rm = FALSE,
  show.legend = NA, inherit.aes = TRUE)

```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
n	The number of points to create for each segment
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.
arrow	Arrow specification, as created by <code>grid::arrow()</code> .
lineend	Line end style (round, butt, square).
arrow.fill	fill colour to use for the arrow head (if closed). <code>NULL</code> means use colour aesthetic.
linejoin	Line join style (round, mitre, bevel).

Aesthetics

`geom_link` understand the following aesthetics (required aesthetics are in bold):

- `x`
- `y`
- **`xend`**
- **`yend`**

- color
- size
- linetype
- alpha
- lineend

geom_link2 understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- color
- size
- linetype
- alpha
- lineend

Computed variables

x, y The interpolated point coordinates

index The progression along the interpolation mapped between 0 and 1

Examples

```
# Lets make some data
lines <- data.frame(
  x = c(5, 12, 15, 9, 6),
  y = c(17, 20, 4, 15, 5),
  xend = c(19, 17, 2, 9, 5),
  yend = c(10, 18, 7, 12, 1),
  width = c(1, 10, 6, 2, 3),
  colour = letters[1:5]
)

ggplot(lines) +
  geom_link(aes(x = x, y = y, xend = xend, yend = yend, colour = colour,
               alpha = stat(index), size = stat(index)))

ggplot(lines) +
  geom_link2(aes(x = x, y = y, colour = colour, size = width, group = 1),
            lineend = 'round', n = 500)

# geom_link0 is simply an alias for geom_segment to put the link geoms in
# line with the other line geoms with multiple versions. `index` is not
# available here
ggplot(lines) +
  geom_link0(aes(x = x, y = y, xend = xend, yend = yend, colour = colour))
```

geom_mark_circle *Annotate areas with circles*

Description

This geom lets you annotate sets of points via circles. The enclosing circles are calculated at draw time and the most optimal enclosure at the given aspect ratio is thus guaranteed. As with the other `geom_mark_*` geoms the enclosure inherits from `geom_shape()` and defaults to be expanded slightly to better enclose the points.

Usage

```
geom_mark_circle(mapping = NULL, data = NULL, stat = "identity",
  position = "identity", expand = unit(5, "mm"), radius = expand,
  n = 100, label.margin = margin(2, 2, 2, 2, "mm"),
  label.width = NULL, label.minwidth = unit(50, "mm"),
  label.hjust = 0, label.fontsize = 12, label.family = "",
  label.lineheight = 1, label.fontface = c("bold", "plain"),
  label.fill = "white", label.colour = "black",
  label.buffer = unit(10, "mm"), con.colour = "black",
  con.size = 0.5, con.type = "elbow", con.linetype = 1,
  con.border = "one", con.cap = unit(3, "mm"), con.arrow = NULL, ...,
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
stat	The statistical transformation to use on the data for this layer, as a string.
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
expand	A numeric or unit vector of length one, specifying the expansion amount. Negative values will result in contraction instead. If the value is given as a numeric it will be understood as a proportion of the plot area width.
radius	As <code>expand</code> but specifying the corner radius.

<code>n</code>	The number of points used to draw each circle. Defaults to 100
<code>label.margin</code>	The margin around the annotation boxes, given by a call to <code>ggplot2::margin()</code>
<code>label.width</code>	A fixed width for the label. Set to NULL to let the text or <code>label.minwidth</code> decide
<code>label.minwidth</code>	The minimum width to provide for the description. If the size of the label exceeds this, the the description is allowed to fill as much as the label
<code>label.hjust</code>	The horizontal justification for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.fontsize</code>	The size of the text for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.family</code>	The font family used for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.lineheight</code>	The height of a line as a multiplier of the <code>fontsize</code> . If it contains two elements the first will be used for the label and the second for the description.
<code>label.fontface</code>	The font face used for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.fill</code>	The fill colour for the annotation box.
<code>label.colour</code>	The text colour for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.buffer</code>	The size of the region around the mark where labels cannot be placed.
<code>con.colour</code>	The colour for the line connecting the annotation to the mark
<code>con.size</code>	The width of the connector
<code>con.type</code>	The type of the connector. Either "elbow", "straight", or "none".
<code>con.linetype</code>	The linetype of the connector
<code>con.border</code>	The bordertype of the connector. Either "one" (to draw a line on the horizontal side closest to the mark), "all" (to draw a border on all sides), or "none" (not going to explain that one)
<code>con.cap</code>	The distance before the mark that the line should stop at.
<code>con.arrow</code>	An arrow specification for the connection using <code>grid::arrow()</code> for the end pointing towards the mark
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired <code>geom/stat</code> .
<code>na.rm</code>	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

Annotation

All `geom_mark_*` allows you to put descriptive textboxes connected to the mark on the plot, using the `label` and `description` aesthetics. The textboxes are automatically placed close to the mark, but without obscuring any of the datapoints in the layer. The placement is dynamic so if you resize the plot you'll see that the annotation might move around as areas become big enough or too small to fit the annotation. If there's not enough space for the annotation without overlapping data it will not get drawn. In these cases try resizing the plot, change the size of the annotation, or decrease the buffer region around the marks.

Filtering

Often marks are used to draw attention to, or annotate specific features of the plot and it is thus not desirable to have marks around everything. While it is possible to simply pre-filter the data used for the mark layer, the `geom_mark_*` geoms also comes with a dedicated `filter` aesthetic that, if set, will remove all rows where it evaluates to `FALSE`. There are multiple benefits of using this instead of prefiltering. First, you don't have to change your data source, making your code more adaptable for exploration. Second, the data removed by the filter aesthetic is remembered by the geom, and any annotation will take care not to overlap with the removed data.

Aesthetics

`geom_mark_circle` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- filter
- label
- description
- color
- fill
- group
- size
- linetype
- alpha

See Also

Other mark geoms: [geom_mark_ellipse](#), [geom_mark_hull](#), [geom_mark_rect](#)

Examples

```
ggplot(iris, aes(Petal.Length, Petal.Width)) +  
  geom_mark_circle(aes(fill = Species, filter = Species != 'versicolor')) +  
  geom_point()  
  
# Add annotation  
ggplot(iris, aes(Petal.Length, Petal.Width)) +
```

```

geom_mark_circle(aes(fill = Species, label = Species)) +
geom_point()

# Long descriptions are automatically wrapped to fit into the width
iris$desc <- c(
  'A super Iris - and it knows it',
  'Pretty mediocre Iris, but give it a couple of years and it might surprise you',
  "You'll never guess what this Iris does every Sunday"
)[iris$Species]

ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_circle(aes(fill = Species, label = Species, description = desc,
                      filter = Species == 'setosa')) +
  geom_point()

# Change the buffer size to move labels farther away (or closer) from the
# marks
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_circle(aes(fill = Species, label = Species),
                  label.buffer = unit(30, 'mm')) +
  geom_point()

# The connector is capped a bit before it reaches the mark, but this can be
# controlled
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_circle(aes(fill = Species, label = Species),
                  con.cap = 0) +
  geom_point()

```

geom_mark_ellipse *Annotate areas with ellipses*

Description

This geom lets you annotate sets of points via ellipses. The enclosing ellipses are estimated using the Khachiyan algorithm which guarantees an optimal solution within the given tolerance level. As this geom is often expanded it is of lesser concern that some points are slightly outside the ellipsis. The Khachiyan algorithm has polynomial complexity and can thus suffer from scaling issues. Still, it is only calculated on the convex hull of the groups, so performance issues should be rare (it can easily handle a hull consisting of 1000 points).

Usage

```

geom_mark_ellipse(mapping = NULL, data = NULL, stat = "identity",
  position = "identity", expand = unit(5, "mm"), radius = expand,
  n = 100, tol = 0.01, label.margin = margin(2, 2, 2, 2, "mm"),
  label.width = NULL, label.minwidth = unit(50, "mm"),
  label.hjust = 0, label.fontsize = 12, label.family = "",
  label.lineheight = 1, label.fontface = c("bold", "plain"),

```

```
label.fill = "white", label.colour = "black",
label.buffer = unit(10, "mm"), con.colour = "black",
con.size = 0.5, con.type = "elbow", con.linetype = 1,
con.border = "one", con.cap = unit(3, "mm"), con.arrow = NULL, ...,
na.rm = FALSE, show.legend = NA, inherit.aes = TRUE)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
stat	The statistical transformation to use on the data for this layer, as a string.
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
expand	A numeric or unit vector of length one, specifying the expansion amount. Negative values will result in contraction instead. If the value is given as a numeric it will be understood as a proportion of the plot area width.
radius	As <code>expand</code> but specifying the corner radius.
n	The number of points used to draw each circle. Defaults to 100
tol	The tolerance cutoff. Lower values will result in ellipses closer to the optimal solution. Defaults to 0.01
label.margin	The margin around the annotation boxes, given by a call to <code>ggplot2::margin()</code>
label.width	A fixed width for the label. Set to <code>NULL</code> to let the text or <code>label.minwidth</code> decide
label.minwidth	The minimum width to provide for the description. If the size of the label exceeds this, the the description is allowed to fill as much as the label
label.hjust	The horizontal justification for the annotation. If it contains two elements the first will be used for the label and the second for the description.
label.fontsize	The size of the text for the annotation. If it contains two elements the first will be used for the label and the second for the description.
label.family	The font family used for the annotation. If it contains two elements the first will be used for the label and the second for the description.
label.lineheight	The height of a line as a multiplier of the <code>fontsize</code> . If it contains two elements the first will be used for the label and the second for the description.

label.fontface	The font face used for the annotation. If it contains two elements the first will be used for the label and the second for the description.
label.fill	The fill colour for the annotation box.
label.colour	The text colour for the annotation. If it contains two elements the first will be used for the label and the second for the description.
label.buffer	The size of the region around the mark where labels cannot be placed.
con.colour	The colour for the line connecting the annotation to the mark
con.size	The width of the connector
con.type	The type of the connector. Either "elbow", "straight", or "none".
con.linetype	The linetype of the connector
con.border	The bordertype of the connector. Either "one" (to draw a line on the horizontal side closest to the mark), "all" (to draw a border on all sides), or "none" (not going to explain that one)
con.cap	The distance before the mark that the line should stop at.
con.arrow	An arrow specification for the connection using <code>grid::arrow()</code> for the end pointing towards the mark
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
na.rm	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

Aesthetics

geom_mark_ellipse understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- filter
- label
- description
- color
- fill
- group
- size
- linetype
- alpha

Annotation

All `geom_mark_*` allows you to put descriptive textboxes connected to the mark on the plot, using the `label` and `description` aesthetics. The textboxes are automatically placed close to the mark, but without obscuring any of the datapoints in the layer. The placement is dynamic so if you resize the plot you'll see that the annotation might move around as areas become big enough or too small to fit the annotation. If there's not enough space for the annotation without overlapping data it will not get drawn. In these cases try resizing the plot, change the size of the annotation, or decrease the buffer region around the marks.

Filtering

Often marks are used to draw attention to, or annotate specific features of the plot and it is thus not desirable to have marks around everything. While it is possible to simply pre-filter the data used for the mark layer, the `geom_mark_*` geoms also comes with a dedicated `filter` aesthetic that, if set, will remove all rows where it evaluates to `FALSE`. There are multiple benefits of using this instead of prefiltering. First, you don't have to change your data source, making your code more adaptable for exploration. Second, the data removed by the filter aesthetic is remembered by the geom, and any annotation will take care not to overlap with the removed data.

See Also

Other mark geoms: [geom_mark_circle](#), [geom_mark_hull](#), [geom_mark_rect](#)

Examples

```
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_ellipse(aes(fill = Species, filter = Species != 'versicolor')) +
  geom_point()

# Add annotation
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_ellipse(aes(fill = Species, label = Species)) +
  geom_point()

# Long descriptions are automatically wrapped to fit into the width
iris$desc <- c(
  'A super Iris - and it knows it',
  'Pretty mediocre Iris, but give it a couple of years and it might surprise you',
  "You'll never guess what this Iris does every Sunday"
)[iris$Species]

ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_ellipse(aes(fill = Species, label = Species, description = desc,
                      filter = Species == 'setosa')) +
  geom_point()

# Change the buffer size to move labels farther away (or closer) from the
# marks
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_ellipse(aes(fill = Species, label = Species),
                  label.buffer = unit(40, 'mm')) +
```

```

geom_point()

# The connector is capped a bit before it reaches the mark, but this can be
# controlled
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_ellipse(aes(fill = Species, label = Species),
                   con.cap = 0) +
  geom_point()

```

geom_mark_hull

Annotate areas with hulls

Description

This geom lets you annotate sets of points via hulls. While convex hulls are most common due to their clear definition, they can lead to large areas covered that does not contain points. Due to this `geom_mark_hull` uses concaveman which lets you adjust concavity of the resulting hull. The hull is calculated at draw time, and can thus change as you resize the plot. In order to clearly contain all points, and for aesthetic purpose the resulting hull is expanded 5mm and rounded on the corners. This can be adjusted with the `expand` and `radius` parameters.

Usage

```

geom_mark_hull(mapping = NULL, data = NULL, stat = "identity",
               position = "identity", expand = unit(5, "mm"), radius = unit(2.5,
               "mm"), concavity = 2, label.margin = margin(2, 2, 2, 2, "mm"),
               label.width = NULL, label.minwidth = unit(50, "mm"),
               label.hjust = 0, label.fontsize = 12, label.family = "",
               label.lineheight = 1, label.fontface = c("bold", "plain"),
               label.fill = "white", label.colour = "black",
               label.buffer = unit(10, "mm"), con.colour = "black",
               con.size = 0.5, con.type = "elbow", con.linetype = 1,
               con.border = "one", con.cap = unit(3, "mm"), con.arrow = NULL, ...,
               na.rm = FALSE, show.legend = NA, inherit.aes = TRUE)

```

Arguments

- | | |
|---------|--|
| mapping | Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping. |
| data | The data to be displayed in this layer. There are three options:
If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> .
A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. |

A function will be called with a single argument, the plot data. The return value must be a `data.frame`, and will be used as the layer data. A function can be created from a formula (e.g. `~ head(.x, 10)`).

<code>stat</code>	The statistical transformation to use on the data for this layer, as a string.
<code>position</code>	Position adjustment, either as a string, or the result of a call to a position adjustment function.
<code>expand</code>	A numeric or unit vector of length one, specifying the expansion amount. Negative values will result in contraction instead. If the value is given as a numeric it will be understood as a proportion of the plot area width.
<code>radius</code>	As <code>expand</code> but specifying the corner radius.
<code>concavity</code>	A measure of the concavity of the hull. 1 is very concave while it approaches convex as it grows. Defaults to 2
<code>label.margin</code>	The margin around the annotation boxes, given by a call to <code>ggplot2::margin()</code>
<code>label.width</code>	A fixed width for the label. Set to <code>NULL</code> to let the text or <code>label.minwidth</code> decide
<code>label.minwidth</code>	The minimum width to provide for the description. If the size of the label exceeds this, the the description is allowed to fill as much as the label
<code>label.hjust</code>	The horizontal justification for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.fontsize</code>	The size of the text for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.family</code>	The font family used for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.lineheight</code>	The height of a line as a multiplier of the <code>fontsize</code> . If it contains two elements the first will be used for the label and the second for the description.
<code>label.fontface</code>	The font face used for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.fill</code>	The fill colour for the annotation box.
<code>label.colour</code>	The text colour for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.buffer</code>	The size of the region around the mark where labels cannot be placed.
<code>con.colour</code>	The colour for the line connecting the annotation to the mark
<code>con.size</code>	The width of the connector
<code>con.type</code>	The type of the connector. Either "elbow", "straight", or "none".
<code>con.linetype</code>	The linetype of the connector
<code>con.border</code>	The bordertype of the connector. Either "one" (to draw a line on the horizontal side closest to the mark), "all" (to draw a border on all sides), or "none" (not going to explain that one)
<code>con.cap</code>	The distance before the mark that the line should stop at.
<code>con.arrow</code>	An arrow specification for the connection using <code>grid::arrow()</code> for the end pointing towards the mark

...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
<code>na.rm</code>	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

Aesthetics

`geom_mark_hull` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- filter
- label
- description
- color
- fill
- group
- size
- linetype
- alpha

Annotation

All `geom_mark_*` allows you to put descriptive textboxes connected to the mark on the plot, using the `label` and `description` aesthetics. The textboxes are automatically placed close to the mark, but without obscuring any of the datapoints in the layer. The placement is dynamic so if you resize the plot you'll see that the annotation might move around as areas become big enough or too small to fit the annotation. If there's not enough space for the annotation without overlapping data it will not get drawn. In these cases try resizing the plot, change the size of the annotation, or decrease the buffer region around the marks.

Filtering

Often marks are used to draw attention to, or annotate specific features of the plot and it is thus not desirable to have marks around everything. While it is possible to simply pre-filter the data used for the mark layer, the `geom_mark_*` geoms also comes with a dedicated `filter` aesthetic that, if set, will remove all rows where it evaluates to `FALSE`. There are multiple benefits of using this instead of prefiltering. First, you don't have to change your data source, making your code more adaptable for exploration. Second, the data removed by the filter aesthetic is remembered by the geom, and any annotation will take care not to overlap with the removed data.

See Also

Other mark geoms: [geom_mark_circle](#), [geom_mark_ellipse](#), [geom_mark_rect](#)

Examples

```
## requires the concaveman packages
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_hull(aes(fill = Species, filter = Species != 'versicolor')) +
  geom_point()

# Adjusting the concavity lets you change the shape of the hull
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_hull(aes(fill = Species, filter = Species != 'versicolor'),
    concavity = 1
  ) +
  geom_point()

ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_hull(aes(fill = Species, filter = Species != 'versicolor'),
    concavity = 10
  ) +
  geom_point()

# Add annotation
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_hull(aes(fill = Species, label = Species)) +
  geom_point()

# Long descriptions are automatically wrapped to fit into the width
iris$desc <- c(
  'A super Iris - and it knows it',
  'Pretty mediocre Iris, but give it a couple of years and it might surprise you',
  "You'll never guess what this Iris does every Sunday"
)[iris$Species]

ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_hull(aes(fill = Species, label = Species, description = desc,
    filter = Species == 'setosa')) +
  geom_point()

# Change the buffer size to move labels farther away (or closer) from the
# marks
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_hull(aes(fill = Species, label = Species),
    label.buffer = unit(40, 'mm')) +
  geom_point()

# The connector is capped a bit before it reaches the mark, but this can be
# controlled
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_hull(aes(fill = Species, label = Species),
    con.cap = 0) +
```

```
geom_point()
```

```
geom_mark_rect      Annotate areas with rectangles
```

Description

This geom lets you annotate sets of points via rectangles. The rectangles are simply scaled to the range of the data and as with the other `geom_mark_*` geoms expanded and have rounded corners.

Usage

```
geom_mark_rect(mapping = NULL, data = NULL, stat = "identity",
  position = "identity", expand = unit(5, "mm"), radius = unit(2.5,
  "mm"), label.margin = margin(2, 2, 2, 2, "mm"), label.width = NULL,
  label.minwidth = unit(50, "mm"), label.hjust = 0,
  label.fontsize = 12, label.family = "", label.lineheight = 1,
  label.fontface = c("bold", "plain"), label.fill = "white",
  label.colour = "black", label.buffer = unit(10, "mm"),
  con.colour = "black", con.size = 0.5, con.type = "elbow",
  con.linetype = 1, con.border = "one", con.cap = unit(3, "mm"),
  con.arrow = NULL, ..., na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
stat	The statistical transformation to use on the data for this layer, as a string.
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
expand	A numeric or unit vector of length one, specifying the expansion amount. Negative values will result in contraction instead. If the value is given as a numeric it will be understood as a proportion of the plot area width.

<code>radius</code>	As expand but specifying the corner radius.
<code>label.margin</code>	The margin around the annotation boxes, given by a call to <code>ggplot2::margin()</code>
<code>label.width</code>	A fixed width for the label. Set to NULL to let the text or <code>label.minwidth</code> decide
<code>label.minwidth</code>	The minimum width to provide for the description. If the size of the label exceeds this, the the description is allowed to fill as much as the label
<code>label.hjust</code>	The horizontal justification for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.fontsize</code>	The size of the text for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.family</code>	The font family used for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.lineheight</code>	The height of a line as a multiplier of the fontsize. If it contains two elements the first will be used for the label and the second for the description.
<code>label.fontface</code>	The font face used for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.fill</code>	The fill colour for the annotation box.
<code>label.colour</code>	The text colour for the annotation. If it contains two elements the first will be used for the label and the second for the description.
<code>label.buffer</code>	The size of the region around the mark where labels cannot be placed.
<code>con.colour</code>	The colour for the line connecting the annotation to the mark
<code>con.size</code>	The width of the connector
<code>con.type</code>	The type of the connector. Either "elbow", "straight", or "none".
<code>con.linetype</code>	The linetype of the connector
<code>con.border</code>	The bordertype of the connector. Either "one" (to draw a line on the horizontal side closest to the mark), "all" (to draw a border on all sides), or "none" (not going to explain that one)
<code>con.cap</code>	The distance before the mark that the line should stop at.
<code>con.arrow</code>	An arrow specification for the connection using <code>grid::arrow()</code> for the end pointing towards the mark
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
<code>na.rm</code>	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

Aesthetics

geom_mark_rect understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- filter
- label
- description
- color
- fill
- group
- size
- linetype
- alpha

Annotation

All geom_mark_* allows you to put descriptive textboxes connected to the mark on the plot, using the label and description aesthetics. The textboxes are automatically placed close to the mark, but without obscuring any of the datapoints in the layer. The placement is dynamic so if you resize the plot you'll see that the annotation might move around as areas become big enough or too small to fit the annotation. If there's not enough space for the annotation without overlapping data it will not get drawn. In these cases try resizing the plot, change the size of the annotation, or decrease the buffer region around the marks.

Filtering

Often marks are used to draw attention to, or annotate specific features of the plot and it is thus not desirable to have marks around everything. While it is possible to simply pre-filter the data used for the mark layer, the geom_mark_* geoms also comes with a dedicated filter aesthetic that, if set, will remove all rows where it evaluates to FALSE. There are multiple benefits of using this instead of prefiltering. First, you don't have to change your data source, making your code more adaptable for exploration. Second, the data removed by the filter aesthetic is remembered by the geom, and any annotation will take care not to overlap with the removed data.

See Also

Other mark geoms: [geom_mark_circle](#), [geom_mark_ellipse](#), [geom_mark_hull](#)

Examples

```
ggplot(iris, aes(Petal.Length, Petal.Width)) +  
  geom_mark_rect(aes(fill = Species, filter = Species != 'versicolor')) +  
  geom_point()  
  
# Add annotation  
ggplot(iris, aes(Petal.Length, Petal.Width)) +
```

```

geom_mark_rect(aes(fill = Species, label = Species)) +
geom_point()

# Long descriptions are automatically wrapped to fit into the width
iris$desc <- c(
  'A super Iris - and it knows it',
  'Pretty mediocre Iris, but give it a couple of years and it might surprise you',
  "You'll never guess what this Iris does every Sunday"
)[iris$Species]

ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_rect(aes(fill = Species, label = Species, description = desc,
                    filter = Species == 'setosa')) +
  geom_point()

# Change the buffer size to move labels farther away (or closer) from the
# marks
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_rect(aes(fill = Species, label = Species),
                label.buffer = unit(30, 'mm')) +
  geom_point()

# The connector is capped a bit before it reaches the mark, but this can be
# controlled
ggplot(iris, aes(Petal.Length, Petal.Width)) +
  geom_mark_rect(aes(fill = Species, label = Species),
                con.cap = 0) +
  geom_point()

```

geom_parallel_sets *Create Parallel Sets diagrams*

Description

A parallel sets diagram is a type of visualisation showing the interaction between multiple categorical variables. If the variables has an intrinsic order the representation can be thought of as a Sankey Diagram. If each variable is a point in time it will resemble an alluvial diagram.

Usage

```

stat_parallel_sets(mapping = NULL, data = NULL, geom = "shape",
  position = "identity", n = 100, strength = 0.5, sep = 0.05,
  axis.width = 0, na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)

geom_parallel_sets(mapping = NULL, data = NULL,
  stat = "parallel_sets", position = "identity", n = 100,
  na.rm = FALSE, sep = 0.05, strength = 0.5, axis.width = 0,
  show.legend = NA, inherit.aes = TRUE, ...)

```

```
stat_parallel_sets_axes(mapping = NULL, data = NULL,
  geom = "parallel_sets_axes", position = "identity", sep = 0.05,
  axis.width = 0, na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE, ...)
```

```
geom_parallel_sets_axes(mapping = NULL, data = NULL,
  stat = "parallel_sets_axes", position = "identity", na.rm = FALSE,
  show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_parallel_sets_labels(mapping = NULL, data = NULL,
  stat = "parallel_sets_axes", angle = -90, position = "identity",
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
n	The number of points to create for each of the bounding diagonals
strength	The proportion to move the control point along the x-axis towards the other end of the bezier curve
sep	The proportional separation between categories within a variable
axis.width	The width of the area around each variable axis
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.
angle	The angle of the axis label text

Details

In a parallel sets visualization each categorical variable will be assigned a position on the x-axis. The size of the intersection of categories from neighboring variables are then shown as thick diagonals, scaled by the sum of elements shared between the two categories. The natural data representation for such as plot is to have each categorical variable in a separate column and then have a column giving the amount/magnitude of the combination of levels in the row. This representation is unfortunately not fitting for the ggplot2 API which needs every position encoding in the same column. To make it easier to work with ggforce provides a helper `gather_set_data()`, which takes care of the transformation.

Aesthetics

`geom_parallel_sets` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **id**
- **split**
- **value**
- color
- fill
- size
- linetype
- alpha
- lineend

Author(s)

Thomas Lin Pedersen

Examples

```
data <- reshape2::melt(Titanic)
data <- gather_set_data(data, 1:4)

ggplot(data, aes(x, id = id, split = y, value = value)) +
  geom_parallel_sets(aes(fill = Sex), alpha = 0.3, axis.width = 0.1) +
  geom_parallel_sets_axes(axis.width = 0.1) +
  geom_parallel_sets_labels(colour = 'white')
```

geom_regon

*Draw regular polygons by specifying number of sides***Description**

This geom makes it easy to construct regular polygons (polygons where all sides and angles are equal) by specifying the number of sides, position, and size. The polygons are always rotated so that they "rest" on a flat side, but this can be changed with the angle aesthetic. The size is based on the radius of their circumcircle and is thus not proportional to their area.

Usage

```
stat_regon(mapping = NULL, data = NULL, geom = "shape",
           position = "identity", na.rm = FALSE, show.legend = NA,
           inherit.aes = TRUE, ...)
```

```
geom_regon(mapping = NULL, data = NULL, stat = "regon",
           position = "identity", na.rm = FALSE, show.legend = NA,
           inherit.aes = TRUE, ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.

Aesthetics

`geom_regon` understand the following aesthetics (required aesthetics are in bold):

- **x0**
- **y0**
- **sides**
- **r**
- **angle**
- color
- fill
- size
- linetype
- alpha
- lineend

Computed variables

x, y The coordinates for the corners of the polygon

Examples

```
ggplot() +
  geom_regon(aes(x0 = runif(8), y0 = runif(8), sides = sample(3:10, 8),
                angle = 0, r = runif(8) / 10)) +
  coord_fixed()

# The polygons are drawn with geom_shape, so can be manipulated as such
ggplot() +
  geom_regon(aes(x0 = runif(8), y0 = runif(8), sides = sample(3:10, 8),
                angle = 0, r = runif(8) / 10,
                expand = unit(1, 'cm'), radius = unit(1, 'cm')) +
  coord_fixed()
```

geom_shape

*Draw polygons with expansion/contraction and/or rounded corners***Description**

This geom is a cousin of `ggplot2::geom_polygon()` with the added possibility of expanding or contracting the polygon by an absolute amount (e.g. 1 cm). Furthermore, it is possible to round the corners of the polygon, again by an absolute amount. The resulting geom reacts to resizing of the plot, so the expansion/contraction and corner radius will not get distorted. If no expansion/contraction or corner radius is specified, the geom falls back to `geom_polygon` so there is no performance penalty in using this instead of `geom_polygon`.

Usage

```
geom_shape(mapping = NULL, data = NULL, stat = "identity",
           position = "identity", expand = 0, radius = 0, ...,
           na.rm = FALSE, show.legend = NA, inherit.aes = TRUE)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
stat	The statistical transformation to use on the data for this layer, as a string.
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
expand	A numeric or unit vector of length one, specifying the expansion amount. Negative values will result in contraction instead. If the value is given as a numeric it will be understood as a proportion of the plot area width.
radius	As <code>expand</code> but specifying the corner radius.
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.

<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

Aesthetics

`geom_shape` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- color
- fill
- group
- size
- linetype
- alpha

Note

Some settings can result in the disappearance of polygons, specifically when contracting or rounding corners with a relatively large amount. Also note that x and y scale limits does not take expansion into account and the resulting polygon might thus not fit into the plot.

Author(s)

Thomas Lin Pedersen

Examples

```
shape <- data.frame(
  x = c(0.5, 1, 0.75, 0.25, 0),
  y = c(0, 0.5, 1, 0.75, 0.25)
)
# Expand and round
ggplot(shape, aes(x = x, y = y)) +
  geom_shape(expand = unit(1, 'cm'), radius = unit(0.5, 'cm')) +
  geom_polygon(fill = 'red')

# Contract
ggplot(shape, aes(x = x, y = y)) +
  geom_polygon(fill = 'red') +
  geom_shape(expand = unit(-1, 'cm'))

# Only round corners
ggplot(shape, aes(x = x, y = y)) +
  geom_polygon(fill = 'red') +
  geom_shape(radius = unit(1, 'cm'))
```


geom_sina

*Sina plot***Description**

The sina plot is a data visualization chart suitable for plotting any single variable in a multiclass dataset. It is an enhanced jitter strip chart, where the width of the jitter is controlled by the density distribution of the data within each class.

Usage

```
stat_sina(mapping = NULL, data = NULL, geom = "sina",
  position = "dodge", scale = "area", method = "density",
  bw = "nrd0", kernel = "gaussian", maxwidth = NULL, adjust = 1,
  bin_limit = 1, binwidth = NULL, bins = NULL, seed = NA, ...,
  na.rm = FALSE, show.legend = NA, inherit.aes = TRUE)
```

```
geom_sina(mapping = NULL, data = NULL, stat = "sina",
  position = "dodge", ..., na.rm = FALSE, show.legend = NA,
  inherit.aes = TRUE)
```

Arguments

- | | |
|----------|---|
| mapping | Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping. |
| data | <p>The data to be displayed in this layer. There are three options:</p> <p>If <code>NULL</code>, the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code>.</p> <p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created.</p> <p>A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code>, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).</p> |
| geom | The geometric object to use display the data |
| position | Position adjustment, either as a string, or the result of a call to a position adjustment function. |
| scale | <p>How should each sina be scaled. Corresponds to the scale parameter in <code>ggplot2::geom_violin()</code>? Available are:</p> <ul style="list-style-type: none"> • 'area' for scaling by the largest density/bin among the different sinas • 'count' as above, but in addition scales by the maximum number of points in the different sinas. • 'width' Only scale according to the <code>maxwidth</code> parameter |

	For backwards compatibility it can also be a logical with TRUE meaning area and FALSE meaning width
method	Choose the method to spread the samples within the same bin along the x-axis. Available methods: "density", "counts" (can be abbreviated, e.g. "d"). See Details.
bw	<p>the smoothing bandwidth to be used. The kernels are scaled such that this is the standard deviation of the smoothing kernel. (Note this differs from the reference books cited below, and from S-PLUS.)</p> <p>bw can also be a character string giving a rule to choose the bandwidth. See bw.nrd.</p> <p>The default, "nrd0", has remained the default for historical and compatibility reasons, rather than as a general recommendation, where e.g., "SJ" would rather fit, see also Venables and Ripley (2002).</p> <p>The specified (or computed) value of bw is multiplied by adjust.</p>
kernel	<p>a character string giving the smoothing kernel to be used. This must partially match one of "gaussian", "rectangular", "triangular", "epanechnikov", "biweight", "cosine" or "optcosine", with default "gaussian", and may be abbreviated to a unique prefix (single letter).</p> <p>"cosine" is smoother than "optcosine", which is the usual 'cosine' kernel in the literature and almost MSE-efficient. However, "cosine" is the version used by S.</p>
maxwidth	Control the maximum width the points can spread into. Values between 0 and 1.
adjust	the bandwidth used is actually $adjust * bw$. This makes it easy to specify values like 'half the default' bandwidth.
bin_limit	If the samples within the same y-axis bin are more than bin_limit, the samples's X coordinates will be adjusted.
binwidth	The width of the bins. The default is to use bins bins that cover the range of the data. You should always override this value, exploring multiple widths to find the best to illustrate the stories in your data.
bins	Number of bins. Overridden by binwidth. Defaults to 50.
seed	A seed to set for the jitter to ensure a reproducible plot
...	Other arguments passed on to layer() . These are often aesthetics, used to set an aesthetic to a fixed value, like colour = "red" or size = 3. They may also be parameters to the paired geom/stat.
na.rm	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. borders() .
stat	The statistical transformation to use on the data for this layer, as a string.

Details

There are two available ways to define the x-axis borders for the samples to spread within:

- `method == "density"`
A density kernel is estimated along the y-axis for every sample group, and the samples are spread within that curve. In effect this means that points will be positioned randomly within a violin plot with the same parameters.
- `method == "counts"`:
The borders are defined by the number of samples that occupy the same bin.

Aesthetics

`geom_sina` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- color
- group
- size
- alpha

Computed variables

- density** The density or sample counts per bin for each point
- scaled** density scaled by the maximum density in each group
- n** The number of points in the group the point belong to

Author(s)

Nikos Sidiropoulos, Claus Wilke, and Thomas Lin Pedersen

Examples

```
ggplot(midwest, aes(state, area)) + geom_point()

# Boxplot and Violin plots convey information on the distribution but not the
# number of samples, while Jitter does the opposite.
ggplot(midwest, aes(state, area)) +
  geom_violin()

ggplot(midwest, aes(state, area)) +
  geom_jitter()

# Sina does both!
ggplot(midwest, aes(state, area)) +
  geom_violin() +
  geom_sina()
```

```

p <- ggplot(midwest, aes(state, popdensity)) +
  scale_y_log10()

p + geom_sina()

# Colour the points based on the data set's columns
p + geom_sina(aes(colour = inmetro))

# Or any other way
cols <- midwest$popdensity > 10000
p + geom_sina(colour = cols + 1L)

# Sina plots with continuous x:
ggplot(midwest, aes(cut_width(area, 0.02), popdensity)) +
  geom_sina() +
  scale_y_log10()

### Sample gaussian distributions
# Unimodal
a <- rnorm(500, 6, 1)
b <- rnorm(400, 5, 1.5)

# Bimodal
c <- c(rnorm(200, 3, .7), rnorm(50, 7, 0.4))

# Trimodal
d <- c(rnorm(200, 2, 0.7), rnorm(300, 5.5, 0.4), rnorm(100, 8, 0.4))

df <- data.frame(
  'Distribution' = c(
    rep('Unimodal 1', length(a)),
    rep('Unimodal 2', length(b)),
    rep('Bimodal', length(c)),
    rep('Trimodal', length(d))
  ),
  'Value' = c(a, b, c, d)
)

# Reorder levels
df$Distribution <- factor(
  df$Distribution,
  levels(df$Distribution)[c(3, 4, 1, 2)]
)

p <- ggplot(df, aes(Distribution, Value))
p + geom_boxplot()
p + geom_violin() +
  geom_sina()

# By default, Sina plot scales the width of the class according to the width
# of the class with the highest density. Turn group-wise scaling off with:
p +

```

```
geom_violin() +
geom_sina(scale = FALSE)
```

geom_spiro

Draw spirograms based on the radii of the different "wheels" involved

Description

This, rather pointless, geom allows you to draw spirograms, as known from the popular drawing toy where lines were traced by inserting a pencil into a hole in a small gear that would then trace around inside another gear. The potential practicality of this geom is slim and it exists mainly for fun and art.

Usage

```
stat_spiro(mapping = NULL, data = NULL, geom = "path",
           position = "identity", na.rm = FALSE, n = 500,
           revolutions = NULL, show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_spiro(mapping = NULL, data = NULL, stat = "spiro",
           position = "identity", arrow = NULL, n = 500, lineend = "butt",
           na.rm = FALSE, show.legend = NA, inherit.aes = TRUE, ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
geom	The geometric object to use display the data
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
n	The number of points that should be used to draw a fully closed spirogram. If <code>revolutions < 1</code> the actual number of points will be less than this.

revolutions	The number of times the inner gear should revolve around inside the outer gear. If NULL the number of revolutions to reach the starting position is calculated and used.
show.legend	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
stat	The statistical transformation to use on the data for this layer, as a string.
arrow	Arrow specification, as created by <code>grid::arrow()</code> .
lineend	Line end style (round, butt, square).

Aesthetics

`stat_spiro` and `geom_spiro` understand the following aesthetics (required aesthetics are in bold):

- **R**
- **r**
- **d**
- x0
- y0
- outer
- color
- size
- linetype
- alpha

Computed variables

x, y The coordinates for the path describing the spirogram

index The progression along the spirogram mapped between 0 and 1

Examples

```
# Basic usage
ggplot() +
  geom_spiro(aes(R = 10, r = 3, d = 5))

# Only draw a portion
ggplot() +
  geom_spiro(aes(R = 10, r = 3, d = 5), revolutions = 1.2)
```

```
# Let the inner gear circle the outside of the outer gear
ggplot() +
  geom_spiro(aes(R = 10, r = 3, d = 5, outer = TRUE))
```

geom_voronoi

Voronoi tessellation and delaunay triangulation

Description

This set of geoms and stats allows you to display voronoi tessellation and delaunay triangulation, both as polygons and as line segments. Furthermore it lets you augment your point data with related summary statistics. The computations are based on the `deldir::deldir()` package.

Usage

```
geom_voronoi_tile(mapping = NULL, data = NULL, stat = "voronoi_tile",
  position = "identity", na.rm = FALSE, bound = NULL, eps = 1e-09,
  max.radius = NULL, normalize = FALSE, asp.ratio = 1, expand = 0,
  radius = 0, show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_voronoi_segment(mapping = NULL, data = NULL,
  stat = "voronoi_segment", position = "identity", na.rm = FALSE,
  bound = NULL, eps = 1e-09, normalize = FALSE, asp.ratio = 1,
  show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_delaunay_tile(mapping = NULL, data = NULL,
  stat = "delaunay_tile", position = "identity", na.rm = FALSE,
  bound = NULL, eps = 1e-09, normalize = FALSE, asp.ratio = 1,
  expand = 0, radius = 0, show.legend = NA, inherit.aes = TRUE,
  ...)
```

```
geom_delaunay_segment(mapping = NULL, data = NULL,
  stat = "delaunay_segment", position = "identity", na.rm = FALSE,
  bound = NULL, eps = 1e-09, normalize = FALSE, asp.ratio = 1,
  show.legend = NA, inherit.aes = TRUE, ...)
```

```
geom_delaunay_segment2(mapping = NULL, data = NULL,
  stat = "delaunay_segment2", position = "identity", na.rm = FALSE,
  bound = NULL, eps = 1e-09, normalize = FALSE, asp.ratio = 1,
  n = 100, show.legend = NA, inherit.aes = TRUE, ...)
```

```
stat_delvor_summary(mapping = NULL, data = NULL, geom = "point",
  position = "identity", na.rm = FALSE, bound = NULL, eps = 1e-09,
  normalize = FALSE, asp.ratio = asp.ratio, show.legend = NA,
  inherit.aes = TRUE, ...)
```

Arguments

mapping	Set of aesthetic mappings created by <code>aes()</code> or <code>aes_()</code> . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If <code>NULL</code> , the default, the data is inherited from the plot data as specified in the call to <code>ggplot()</code> . A <code>data.frame</code> , or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created. A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code> , and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).
stat	The statistical transformation to use on the data for this layer, as a string.
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
bound	The bounding rectangle for the tessellation or a custom polygon to clip the tessellation to. Defaults to <code>NULL</code> which creates a rectangle expanded 10% in all directions. If supplied as a bounding box it should be a vector giving the bounds in the following order: <code>xmin</code> , <code>xmax</code> , <code>ymin</code> , <code>ymax</code> . If supplied as a polygon it should either be a 2-column matrix or a <code>data.frame</code> containing an <code>x</code> and <code>y</code> column.
eps	A value of epsilon used in testing whether a quantity is zero, mainly in the context of whether points are collinear. If anomalous errors arise, it is possible that these may averted by adjusting the value of <code>eps</code> upward or downward.
max.radius	The maximum distance a tile can extend from the point of origin. Will in effect clip each tile to a circle centered at the point with the given radius. If <code>normalize = TRUE</code> the radius will be given relative to the normalized values
normalize	Should coordinates be normalized prior to calculations. If <code>x</code> and <code>y</code> are in wildly different ranges it can lead to tessellation and triangulation that seems off when plotted without <code>ggplot2::coord_fixed()</code> . Normalization of coordinates solves this. The coordinates are transformed back after calculations.
asp.ratio	If <code>normalize = TRUE</code> the <code>x</code> values will be multiplied by this amount after normalization.
expand	A numeric or unit vector of length one, specifying the expansion amount. Negative values will result in contraction instead. If the value is given as a numeric it will be understood as a proportion of the plot area width.
radius	As <code>expand</code> but specifying the corner radius.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.

<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
<code>n</code>	The number of points to create for each segment
<code>geom</code>	The geometric object to use display the data

Aesthetics

`geom_voronoi_tile` and `geom_delaunay_tile` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- alpha
- color
- fill
- linetype
- size

`geom_voronoi_segment`, `geom_delaunay_segment`, and `geom_delaunay_segment2` understand the following aesthetics (required aesthetics are in bold):

- **x**
- **y**
- alpha
- color
- linetype
- size

Computed variables

`stat_delvoro_summary` computes the following variables:

x, y If `switch.centroid = TRUE` this will be the coordinates for the voronoi tile centroid, otherwise it is the original point

xcent, ycent If `switch.centroid = FALSE` this will be the coordinates for the voronoi tile centroid, otherwise it will be NULL

xorig, yorig If `switch.centroid = TRUE` this will be the coordinates for the original point, otherwise it will be NULL

ntri Number of triangles emanating from the point

triarea The total area of triangles emanating from the point divided by 3

triprop triarea divided by the sum of the area of all triangles

nsides Number of sides on the voronoi tile associated with the point

nedges Number of sides of the associated voronoi tile that is part of the bounding box

vorarea The area of the voronoi tile associated with the point

vorprop vorarea divided by the sum of all voronoi tiles

Examples

```
# Voronoi
# You usually wants all points to take part in the same tessellation so set
# the group aesthetic to a constant (-1L is just a convention)
ggplot(iris, aes(Sepal.Length, Sepal.Width, group = -1L)) +
  geom_voronoi_tile(aes(fill = Species)) +
  geom_voronoi_segment() +
  geom_text(aes(label = stat(nsides), size = stat(vorarea)),
    stat = 'delvor_summary', switch.centroid = TRUE
  )

# Difference of normalize = TRUE (segment layer is calculated without
# normalisation)
ggplot(iris, aes(Sepal.Length, Sepal.Width, group = -1L)) +
  geom_voronoi_tile(aes(fill = Species), normalize = TRUE) +
  geom_voronoi_segment()

# Set a max radius
ggplot(iris, aes(Sepal.Length, Sepal.Width, group = -1L)) +
  geom_voronoi_tile(aes(fill = Species), colour = 'black', max.radius = 0.25)

# Set custom bounding polygon
triangle <- cbind(c(3, 9, 6), c(1, 1, 6))
ggplot(iris, aes(Sepal.Length, Sepal.Width, group = -1L)) +
  geom_voronoi_tile(aes(fill = Species), colour = 'black', bound = triangle)

# Use geom_shape functionality to round corners etc
ggplot(iris, aes(Sepal.Length, Sepal.Width, group = -1L)) +
  geom_voronoi_tile(aes(fill = Species), colour = 'black',
    expand = unit(-.5, 'mm'), radius = unit(2, 'mm'))

# Delaunay triangles
ggplot(iris, aes(Sepal.Length, Sepal.Width)) +
  geom_delaunay_tile(alpha = 0.3, colour = 'black')

# Use geom_delauney_segment2 to interpolate aesthetics between end points
ggplot(iris, aes(Sepal.Length, Sepal.Width)) +
  geom_delauney_segment2(aes(colour = Species, group = -1), size = 2,
    lineend = 'round')
```

linear_trans	<i>Create a custom linear transformation</i>
--------------	--

Description

This function lets you compose transformations based on a sequence of linear transformations. If the transformations are parameterised the parameters will become arguments in the transformation function. The transformations are one of rotate, shear, stretch, translate, and reflect.

Usage

```
linear_trans(...)  
  
rotate(angle)  
  
stretch(x, y)  
  
shear(x, y)  
  
translate(x, y)  
  
reflect(x, y)
```

Arguments

...	A number of transformation functions.
angle	An angle in radians
x	the transformation magnitude in the x-direction
y	the transformation magnitude in the x-direction

Value

linear_trans creates a trans object. The other functions return a 3x3 transformation matrix.

Examples

```
trans <- linear_trans(rotate(a), shear(1, 0), translate(x1, y1))  
square <- data.frame(x = c(0, 0, 1, 1), y = c(0, 1, 1, 0))  
square2 <- trans$transform(square$x, square$y, a = pi / 3, x1 = 4, y1 = 8)  
square3 <- trans$transform(square$x, square$y, a = pi / 1.5, x1 = 2, y1 = -6)  
square <- rbind(square, square2, square3)  
square$group <- rep(1:3, each = 4)  
ggplot(square, aes(x, y, group = group)) +  
  geom_polygon(aes(fill = factor(group)), colour = 'black')
```

n_pages

Determine the number of pages in a paginated facet plot

Description

This is a simple helper that returns the number of pages it takes to plot all panels when using `facet_wrap_paginate()` and `facet_grid_paginate()`. It partially builds the plot so depending on the complexity of your plot it might take some time to calculate...

Usage

```
n_pages(plot)
```

Arguments

plot A ggplot object using either `facet_wrap_paginate` or `facet_grid_paginate`

Value

If the plot uses using either `facet_wrap_paginate` or `facet_grid_paginate` it returns the total number of pages. Otherwise it returns NULL

Examples

```
p <- ggplot(diamonds) +
  geom_point(aes(carat, price), alpha = 0.1) +
  facet_wrap_paginate(~ cut:clarity, ncol = 3, nrow = 3, page = 1)
n_pages(p)
```

position_auto

Jitter based on scale types

Description

This position adjustment is able to select a meaningful jitter of the data based on the combination of positional scale types. IT behaves differently depending on if none, one, or both the x and y scales are discrete. If both are discrete it will jitter the datapoints evenly inside a disc, if one of them is discrete it will jitter the discrete dimension to follow the density along the other dimension (like a sina plot). If neither are discrete it will not do any jittering.

Usage

```
position_auto(jitter.width = 0.75, bw = "nrd0", scale = TRUE,
  seed = NA)
```

Arguments

jitter.width	The maximal width of the jitter
bw	The smoothing bandwidth to use in the case of sina jittering. See the bw argument in stats::density
scale	Should the width of jittering be scaled based on the number of points in the group
seed	A seed to supply to make the jittering reproducible across layers

See Also

[geom_autopoint](#) for a point geom that uses auto-position by default

Examples

```
# Continuous vs continuous: No jitter
ggplot(mpg) + geom_point(aes(cty, hwy), position = 'auto')

# Continuous vs discrete: sina jitter
ggplot(mpg) + geom_point(aes(cty, drv), position = 'auto')

# Discrete vs discrete: disc-jitter
ggplot(mpg) + geom_point(aes(fl, drv), position = 'auto')

# Don't scale the jitter based on group size
ggplot(mpg) + geom_point(aes(cty, drv), position = position_auto(scale = FALSE))
ggplot(mpg) + geom_point(aes(fl, drv), position = position_auto(scale = FALSE))
```

position_jitternormal *Jitter points with normally distributed random noise*

Description

[ggplot2::geom_jitter\(\)](#) adds random noise to points using a uniform distribution. When many points are plotted, they appear in a rectangle. This position jitters points using a normal distribution instead, resulting in more circular clusters.

Usage

```
position_jitternormal(sd_x = NULL, sd_y = NULL)
```

Arguments

sd_x, sd_y	Standard deviation to add along the x and y axes. The function uses stats::rnorm() with mean = 0 behind the scenes. If omitted, defaults to 0.15. As with ggplot2::geom_jitter() , categorical data is aligned on the integers, so a standard deviation of more than 0.2 will spread the data so it's not possible to see the distinction between the categories.
------------	--

Examples

```
# Example data
df <- data.frame(
  x = sample(1:3, 1500, TRUE),
  y = sample(1:3, 1500, TRUE)
)

# position_jitter results in rectangular clusters
ggplot(df, aes(x = x, y = y)) +
  geom_point(position = position_jitter())

# geom_jitternormal results in more circular clusters
ggplot(df, aes(x = x, y = y)) +
  geom_point(position = position_jitternormal())

# You can adjust the standard deviations along both axes
# Tighter circles
ggplot(df, aes(x = x, y = y)) +
  geom_point(position = position_jitternormal(sd_x = 0.08, sd_y = 0.08))

# Oblong shapes
ggplot(df, aes(x = x, y = y)) +
  geom_point(position = position_jitternormal(sd_x = 0.2, sd_y = 0.08))

# Only add random noise to one dimension
ggplot(df, aes(x = x, y = y)) +
  geom_point(
    position = position_jitternormal(sd_x = 0.15, sd_y = 0),
    alpha = 0.1
  )
```

power_trans

Create a power transformation object

Description

This function can be used to create a proper trans object that encapsulates a power transformation (x^n).

Usage

```
power_trans(n)
```

Arguments

n The degree of the power transformation

Value

A trans object

Examples

```
# Power of 5 transformations
trans <- power_trans(2)
trans$transform(1:10)

# Cubic root transformation
trans <- power_trans(1 / 3)
trans$transform(1:10)

# Use it in a plot
ggplot() +
  geom_line(aes(x = 1:10, y = 1:10)) +
  scale_x_continuous(trans = power_trans(2),
                    expand = c(0, 1))
```

radial_trans

Create radial data in a cartesian coordinate system

Description

This function creates a trans object that converts radial data to their corresponding coordinates in cartesian space. The trans object is created for a specific radius and angle range that will be mapped to the unit circle so data doesn't have to be normalized to 0-1 and 0-2*pi in advance. While there exists a clear mapping from radial to cartesian, the inverse is not true as radial representation is periodic. It is impossible to know how many revolutions around the unit circle a point has taken from reading its coordinates. The inverse function will always assume that coordinates are in their first revolution i.e. map them back within the range of a.range.

Usage

```
radial_trans(r.range, a.range, offset = pi/2, pad = 0.5,
            clip = FALSE)
```

Arguments

r.range	The range in radius that correspond to 0 - 1 in the unit circle.
a.range	The range in angles that correspond to 2*pi - 0. As radians are normally measured counterclockwise while radial displays are read clockwise it's an inverse mapping
offset	The offset in angles to apply. Determines that start position on the circle. pi/2 (the default) corresponds to 12 o'clock.
pad	Adds to the end points of the angle range in order to separate the start and end point. Defaults to 0.5
clip	Should input data be clipped to r.range and a.range or be allowed to extend beyond. Defaults to FALSE (no clipping)

Value

A trans object. The transform method for the object takes an r (radius) and a (angle) argument and returns a data.frame with x and y columns with rows for each element in r/a. The inverse method takes an x and y argument and returns a data.frame with r and a columns and rows for each element in x/y.

Note

While trans objects are often used to modify scales in ggplot2, radial transformation is different as it is a coordinate transformation and takes two arguments. Consider it a trans version of coord_polar and use it to transform your data prior to plotting.

Examples

```
# Some data in radial form
rad <- data.frame(r = seq(1, 10, by = 0.1), a = seq(1, 10, by = 0.1))

# Create a transformation
radial <- radial_trans(c(0, 1), c(0, 5))

# Get data in x, y
cart <- radial$transform(rad$r, rad$a)

# Have a look
ggplot() +
  geom_path(aes(x = x, y = y), data = cart, color = 'forestgreen') +
  geom_path(aes(x = r, y = a), data = rad, color = 'firebrick')
```

 scale_depth

Scales for depth perception

Description

These scales serve to scale the depth aesthetic when creating stereographic plots. The range specifies the relative distance between the points and the paper plane in relation to the distance between the eyes and the paper plane i.e. a range of c(-0.5, 0.5) would put the highest values midway between the eyes and the image plane and the lowest values the same distance behind the image plane. To ensure a nice viewing experience these values should not exceed ~0.3 as it would get hard for the eyes to consolidate the two pictures.

Usage

```
scale_depth(..., range = c(0, 0.3))

scale_depth_continuous(..., range = c(0, 0.3))

scale_depth_discrete(..., range = c(0, 0.3))
```


Arguments

... arguments passed on to `continuous_scale` or `discrete_scale`

range The relative range as related to the distance between the eyes and the paper plane.

Examples

```
ggplot(mtcars) +
  geom_point(aes(mpg, disp, depth = cyl)) +
  scale_depth(range = c(-0.1, 0.25)) +
  facet_stereo()
```

scale_unit	<i>Position scales for units data</i>
------------	---------------------------------------

Description

These are the default scales for the units class. These will usually be added automatically. To override manually, use `scale_*_unit`.

Usage

```
scale_x_unit(name = waiver(), breaks = waiver(), unit = NULL,
  minor_breaks = waiver(), labels = waiver(), limits = NULL,
  expand = waiver(), oob = censor, na.value = NA_real_,
  trans = "identity", position = "bottom", sec.axis = waiver())
```

```
scale_y_unit(name = waiver(), breaks = waiver(), unit = NULL,
  minor_breaks = waiver(), labels = waiver(), limits = NULL,
  expand = waiver(), oob = censor, na.value = NA_real_,
  trans = "identity", position = "left", sec.axis = waiver())
```

Arguments

name The name of the scale. Used as the axis or legend title. If `waiver()`, the default, the name of the scale is taken from the first mapping used for that aesthetic. If `NULL`, the legend title will be omitted.

breaks One of:

- `NULL` for no breaks
- `waiver()` for the default breaks computed by the transformation object
- A numeric vector of positions
- A function that takes the limits as input and returns breaks as output

unit A unit specification to use for the axis. If given, the values will be converted to this unit before plotting. An error will be thrown if the specified unit is incompatible with the unit of the data.

minor_breaks	<p>One of:</p> <ul style="list-style-type: none"> • NULL for no minor breaks • <code>waiver()</code> for the default breaks (one minor break between each major break) • A numeric vector of positions • A function that given the limits returns a vector of minor breaks.
labels	<p>One of:</p> <ul style="list-style-type: none"> • NULL for no labels • <code>waiver()</code> for the default labels computed by the transformation object • A character vector giving labels (must be same length as breaks) • A function that takes the breaks as input and returns labels as output
limits	<p>One of:</p> <ul style="list-style-type: none"> • NULL to use the default scale range • A numeric vector of length two providing limits of the scale. Use NA to refer to the existing minimum or maximum • A function that accepts the existing (automatic) limits and returns new limits
expand	<p>Vector of range expansion constants used to add some padding around the data, to ensure that they are placed some distance away from the axes. Use the convenience function <code>expand_scale()</code> to generate the values for the <code>expand</code> argument. The defaults are to expand the scale by 5% on each side for continuous variables, and by 0.6 units on each side for discrete variables.</p>
oob	<p>Function that handles limits outside of the scale limits (out of bounds). The default replaces out of bounds values with NA.</p>
na.value	<p>Missing values will be replaced with this value.</p>
trans	<p>Either the name of a transformation object, or the object itself. Built-in transformations include "asn", "atanh", "boxcox", "date", "exp", "hms", "identity", "log", "log10", "log1p", "log2", "logit", "modulus", "probability", "probit", "pseudo_log", "reciprocal", "reverse", "sqrt" and "time".</p> <p>A transformation object bundles together a transform, its inverse, and methods for generating breaks and labels. Transformation objects are defined in the scales package, and are called <code>name_trans</code>, e.g. <code>scales::boxcox_trans()</code>. You can create your own transformation with <code>scales::trans_new()</code>.</p>
position	<p>The position of the axis. "left" or "right" for vertical scales, "top" or "bottom" for horizontal scales</p>
sec.axis	<p>specify a secondary axis</p>

Examples

```
library(units)
gallon <- as_units('gallon')
mtcars$consumption <- mtcars$mpg * with(ud_units, mi / gallon)
mtcars$power <- mtcars$hp * with(ud_units, hp)
```

```
# Use units encoded into the data
ggplot(mtcars) +
  geom_point(aes(power, consumption))

# Convert units on the fly during plotting
ggplot(mtcars) +
  geom_point(aes(power, consumption)) +
  scale_x_unit(unit = 'W') +
  scale_y_unit(unit = 'km/l')

# Resolve units when transforming data
ggplot(mtcars) +
  geom_point(aes(power, 1 / consumption))
```

theme_no_axes

Theme without axes and gridlines

Description

This theme is a simple wrapper around any complete theme that removes the axis text, title and ticks as well as the grid lines for plots where these have little meaning.

Usage

```
theme_no_axes(base.theme = theme_bw())
```

Arguments

`base.theme` The theme to use as a base for the new theme. Defaults to `ggplot2::theme_bw()`.

Value

A modified version of `base.theme`

Examples

```
p <- ggplot() + geom_point(aes(x = wt, y = qsec), data = mtcars)

p + theme_no_axes()
p + theme_no_axes(theme_grey())
```

trans_reverser	<i>Reverse a transformation</i>
----------------	---------------------------------

Description

While the scales package export a reverse_trans object it does not allow for reversing of already transformed ranged - e.g. a reverse exp transformation is not possible. trans_reverser takes a trans object or something coercible to one and creates a reverse version of it.

Usage

```
trans_reverser(trans)
```

Arguments

trans A trans object or an object that can be converted to one using `scales::as.trans()`

Value

A trans object

Examples

```
# Lets make a plot
p <- ggplot() +
  geom_line(aes(x = 1:10, y = 1:10))

# scales already have a reverse trans
p + scale_x_continuous(trans = 'reverse')

# But what if you wanted to reverse an already log transformed scale?
p + scale_x_continuous(trans = trans_reverser('log'))
```

Index

*Topic **datasets**

- GeomShape, 14
- aes(), 15, 18, 21, 22, 24, 27, 30, 32, 35, 37, 39, 42, 44, 48, 51, 55, 59, 61, 63, 65, 69, 72
- aes_(), 15, 18, 21, 22, 24, 27, 30, 32, 35, 37, 39, 42, 44, 48, 51, 55, 59, 61, 63, 65, 69, 72
- borders(), 15, 18, 21, 23, 25, 28, 30, 33, 35, 38, 40, 42, 45, 49, 53, 56, 59, 61, 64, 66, 70, 73
- bw.nrd, 66
- deldir::deldir(), 71
- density(), 21
- diagonal, 37
- expand_scale(), 82
- facet_col (facet_row), 8
- facet_grid_paginate, 4, 10, 12, 13
- facet_grid_paginate(), 76
- facet_matrix, 6, 22, 23
- facet_matrix(), 20
- facet_row, 8
- facet_stereo, 5, 9, 12, 13
- facet_wrap_paginate, 5, 10, 10, 13
- facet_wrap_paginate(), 76
- facet_zoom, 5, 10, 12, 12
- FacetCol (GeomShape), 14
- FacetGridPaginate (GeomShape), 14
- FacetMatrix (GeomShape), 14
- FacetRow (GeomShape), 14
- FacetStereo (GeomShape), 14
- FacetWrapPaginate (GeomShape), 14
- FacetZoom (GeomShape), 14
- fortify(), 15, 18, 21, 22, 24, 27, 30, 32, 35, 37, 39, 42, 44, 48, 51, 55, 59, 61, 63, 65, 69, 72
- gather_set_data, 13
- gather_set_data(), 60
- geom_arc, 14
- geom_arc(), 19
- geom_arc0 (geom_arc), 14
- geom_arc2 (geom_arc), 14
- geom_arc_bar, 17
- geom_arc_bar(), 16, 33
- geom_autodensity, 7, 20
- geom_autohistogram, 7
- geom_autohistogram (geom_autodensity), 20
- geom_autopoint, 7, 22, 77
- geom_bezier, 23
- geom_bezier(), 27, 34
- geom_bezier0 (geom_bezier), 23
- geom_bezier2 (geom_bezier), 23
- geom_bspline, 26
- geom_bspline0 (geom_bspline), 26
- geom_bspline2 (geom_bspline), 26
- geom_bspline_closed, 29
- geom_bspline_closed0 (geom_bspline_closed), 29
- geom_circle, 32
- geom_circle(), 39
- geom_delaunay (geom_voronoi), 71
- geom_delaunay_segment (geom_voronoi), 71
- geom_delaunay_segment2 (geom_voronoi), 71
- geom_delaunay_tile (geom_voronoi), 71
- geom_diagonal, 34
- geom_diagonal0 (geom_diagonal), 34
- geom_diagonal2 (geom_diagonal), 34
- geom_diagonal_wide, 37
- geom_ellipse, 39
- geom_link, 41
- geom_link(), 24
- geom_link0 (geom_link), 41
- geom_link2 (geom_link), 41

- geom_link2(), 24
- geom_mark_circle, 44, 50, 54, 57
- geom_mark_ellipse, 46, 47, 54, 57
- geom_mark_hull, 46, 50, 51, 57
- geom_mark_rect, 46, 50, 54, 55
- geom_parallel_sets, 58
- geom_parallel_sets_axes
 - (geom_parallel_sets), 58
- geom_parallel_sets_labels
 - (geom_parallel_sets), 58
- geom_regon, 61
- geom_shape, 63
- geom_shape(), 44
- geom_sina, 65
- geom_spiral, 69
- geom_voronoi, 71
- geom_voronoi_segment (geom_voronoi), 71
- geom_voronoi_tile (geom_voronoi), 71
- GeomArc (GeomShape), 14
- GeomArc0 (GeomShape), 14
- GeomArcBar (GeomShape), 14
- GeomAutoarea (GeomShape), 14
- GeomAutorect (GeomShape), 14
- GeomBezier0 (GeomShape), 14
- GeomBspline0 (GeomShape), 14
- GeomBsplineClosed0 (GeomShape), 14
- GeomCircle (GeomShape), 14
- GeomMarkCircle (GeomShape), 14
- GeomMarkEllipse (GeomShape), 14
- GeomMarkHull (GeomShape), 14
- GeomMarkRect (GeomShape), 14
- GeomParallelSetsAxes (GeomShape), 14
- GeomPathInterpolate (GeomShape), 14
- GeomShape, 14
- ggforce (ggforce-package), 3
- ggforce-extensions (GeomShape), 14
- ggforce-package, 3
- ggplot(), 15, 18, 21, 22, 24, 27, 30, 32, 35, 37, 39, 42, 44, 48, 51, 55, 59, 61, 63, 65, 69, 72
- ggplot2::coord_fixed(), 32, 72
- ggplot2::coord_polar(), 14
- ggplot2::facet_grid(), 4, 8
- ggplot2::facet_wrap(), 8, 10
- ggplot2::geom_density(), 20
- ggplot2::geom_histogram(), 20
- ggplot2::geom_jitter(), 77
- ggplot2::geom_path(), 41
- ggplot2::geom_point(), 6, 22, 32, 33
- ggplot2::geom_polygon(), 63
- ggplot2::geom_segment(), 41
- ggplot2::geom_violin(), 65
- ggplot2::margin(), 45, 48, 52, 56
- ggplot2::theme_bw(), 83
- ggplot2::vars(), 6
- grid::arrow(), 16, 25, 28, 35, 42, 45, 49, 52, 56, 70
- grid::bezierGrob(), 25
- grid::xsplineGrob(), 27, 29
- label_value(), 5, 9, 11
- labeller(), 5, 9, 11
- layer(), 15, 18, 21, 23, 25, 28, 30, 33, 35, 38, 40, 42, 45, 49, 53, 56, 60, 62, 63, 66, 70, 73
- linear_trans, 75
- n_pages, 76
- n_pages(), 5, 12
- position_auto, 7, 23, 76
- position_auto(), 22
- position_jitternormal, 77
- PositionAuto (GeomShape), 14
- PositionFloatstack (GeomShape), 14
- PositionJitterNormal (GeomShape), 14
- power_trans, 78
- radial_trans, 79
- reflect (linear_trans), 75
- rotate (linear_trans), 75
- scale_depth, 80
- scale_depth(), 10
- scale_depth_continuous (scale_depth), 80
- scale_depth_discrete (scale_depth), 80
- scale_type.units (scale_unit), 81
- scale_unit, 81
- scale_x_unit (scale_unit), 81
- scale_y_unit (scale_unit), 81
- ScaleContinuousPositionUnit
 - (GeomShape), 14
- scales::as.trans(), 84
- scales::boxcox_trans(), 82
- scales::trans_new(), 82
- shear (linear_trans), 75
- stat_arc (geom_arc), 14

stat_arc0 (geom_arc), 14
 stat_arc2 (geom_arc), 14
 stat_arc_bar (geom_arc_bar), 17
 stat_bezier (geom_bezier), 23
 stat_bezier0 (geom_bezier), 23
 stat_bezier2 (geom_bezier), 23
 stat_bspline (geom_bspline), 26
 stat_bspline0 (geom_bspline), 26
 stat_bspline2 (geom_bspline), 26
 stat_bspline_closed
 (geom_bspline_closed), 29
 stat_circle (geom_circle), 32
 stat_delvior_summary (geom_voronoi), 71
 stat_diagonal (geom_diagonal), 34
 stat_diagonal0 (geom_diagonal), 34
 stat_diagonal2 (geom_diagonal), 34
 stat_diagonal_wide
 (geom_diagonal_wide), 37
 stat_ellip (geom_ellipse), 39
 stat_link (geom_link), 41
 stat_link2 (geom_link), 41
 stat_parallel_sets
 (geom_parallel_sets), 58
 stat_parallel_sets_axes
 (geom_parallel_sets), 58
 stat_pie (geom_arc_bar), 17
 stat_regon (geom_regon), 61
 stat_sina (geom_sina), 65
 stat_spiro (geom_spiro), 69
 StatArc (GeomShape), 14
 StatArc0 (GeomShape), 14
 StatArc2 (GeomShape), 14
 StatArcBar (GeomShape), 14
 StatAutobin (GeomShape), 14
 StatAutodensity (GeomShape), 14
 StatBezier (GeomShape), 14
 StatBezier0 (GeomShape), 14
 StatBezier2 (GeomShape), 14
 StatBspline (GeomShape), 14
 StatBspline2 (GeomShape), 14
 StatCircle (GeomShape), 14
 StatDelaunaySegment (GeomShape), 14
 StatDelaunaySegment2 (GeomShape), 14
 StatDelaunayTile (GeomShape), 14
 StatDelvorSummary (GeomShape), 14
 StatDiagonal (GeomShape), 14
 StatDiagonal0 (GeomShape), 14
 StatDiagonal2 (GeomShape), 14
 StatDiagonalWide (GeomShape), 14
 StatEllip (GeomShape), 14
 StatLink (GeomShape), 14
 StatLink2 (GeomShape), 14
 StatParallelSets (GeomShape), 14
 StatParallelSetsAxes (GeomShape), 14
 StatPie (GeomShape), 14
 StatRegon (GeomShape), 14
 stats::bw.nrd(), 21
 stats::density, 77
 stats::rnorm(), 77
 StatSina (GeomShape), 14
 StatSpiro (GeomShape), 14
 StatVoronoiSegment (GeomShape), 14
 StatVoronoiTile (GeomShape), 14
 stretch (linear_trans), 75

 theme_no_axes, 83
 trans_reverser, 84
 translate (linear_trans), 75

 vars(), 8, 11